Historic, Archive Document

Do not assume content reflects current scientific knowledge, policies, or practices.

J. FRANKLIN MEEHAN, President S. MENDELSON MEEHAN, Vice-Pres. THOMAS B. MEEHAN, Sec, and Treas.

Incorporated 1902 CAPITAL STOCK, \$100,000.00 300 ACRES

Meehans' Nurseries

Founded 1854 by THOMAS MEEHAN

Wholesale Trade List Spring, 1903

THOMAS MEEHAN & SONS, Inc. LINRAR

Wholesale Department

Dreshertown, Montgomery Co., Pa. ★ JUNI 5 1920 ★

[COPY OF CERTIFICATE]

U. S. Department of A rimiture. THE COMMONWEALTH OF PENNSYLVANIA

DEPARTMENT OF ACRICULTURE

Certificate of Inspection of Nursery Stock No. 142.

This is to certify that the stock in the nursery of Thomas Meehan & Sons, Inc., of Dreshertown, County of Montgomery, State of Pennsylvania, was duly examined in compliance with the provisions of the Act of Legislature of Pennsylvania, approved the 10th day of June, A. D., 1901, and it was found to be apparently free from San Jose Scale and other dangerously injurious insect pest or pests.

This Certificate expires July 31, 1903.
Dated Harrisburg, Pa., August 7, 1902.

GEO. C. BUTZ, Inspector.

Secretary of Agriculture.

Special Notice

Our nurseries have been carefully inspected and no trace of scale or other injurious insects found. For the benefit of customers, however, who wish stock fumigated, we have erected a fumigating house, and when requested to do so will fumigate shipments before packing.

This will be done, however, entirely at the risk of purchaser.

Long Distance Telephone, 26 Ft. Washington, Pa. Telegraph Office, Ambler, Pa. Adams Express, Dreshertown, Montg. Co., Pa.

This Catalogue takes the place of all previous issues

Important! Please Read!

CUSTOMERS are requested to state the mode of conveyance by which they desire their trees forwarded. When no route is named we forward to the best of our judgment; but in no case do we assume any responsibility after the goods are shipped, unless for our own mistakes.

TERMS CASH, on or before delivery to express or railroad agents, unless by special arrangement.

TWO HUNDRED AND FIFTY, twenty-five and five will be furnished at the thousand, hundred and ten rates respectively.

PACKING CHARGED EXTRA, but only sufficient to cover cost of time and material.

Post-Office Orders payable at Dreshertown, Montgomery Co., Pa.

 ${\tt OUR}$ <code>DESCRIPTIVE</code> <code>CATALOGUE</code> is complete and will be sent to all applicants.

VISITORS are always welcome and should take train at the Reading Terminal, 12th and Market Streets, Philadelphia, for Camp Hill Station, or at Broad Street Station, Pennsylvania R. R., for Fort Hill Station. Be sure that the train you take stops at these stations. NOTICE.—It is necessary that you should Telephone us (26 Fort Washington) in advance of your coming, so that we can send a carriage to the station for you. Our office is 2½ miles from either station.

Notice of Incorporation

On July 1st, 1902, the firm of Thomas Meehan & Sons was incorporated under the laws of the State of Pennsylvania, consolidating with it the wholesale business of Meehan Brothers, situated at Dreshertown, Montgomery County, Pa. This combination increased the size of the nurseries to about three hundred acres, making probably one of the largest nurseries of strictly ornamental trees, shrubs and hardy plants in the United States. To facilitate the carrying on of this extensive business, an office was opened at Dreshertown for the transaction of the wholesale department of the firm—the stock grown at this place also being used entirely for wholesale purposes. The Germantown office and nurseries will be confined entirely for the carrying on and growing of stock for retail purposes only.

This consolidation of the two firms and the division of the wholesale and retail department of the business will enable both branches to conduct their respective departments more satisfactorily, and to handle the business

and ship stock more quickly than has heretofore been the case.

Though the business has been incorporated, the ownership and management remains wholly in the hands of the former members of the firm.

DECIDUOUS TREES.

"Trans." signifies the stock has been once or more transplanted.

"Seed." that it is still in Seedling Beds.

| | | | | | Per 10 | Per 100 | Per 1000 |
|------|--------------|--------|------------|-----------------------------|--------|---------|----------|
| Acer | campestre, | nglis | h Cork Map | e, heavy, 4 to 5 ft. trans. | \$3 50 | \$30 00 | |
| 6.6 | colchicum ru | brum | | 6 to 7 ft. trans. | 3 50 | | |
| 44 | dasycarpum, | Silver | Maple, | 1 to 2 ft, seed. | 35 | 75 | \$ 4 00 |
| 1.6 | 44 | 6.6 | | 4 to 5 ft, trans. | 1 25 | 9 00 | |
| 6.6 | 4.6 | 6.6 | 4.6 | 5 to 6 ft. trans. | 1 50 | 10 00 | |
| 6.6 | 44 | 4.6 | 6.6 | 6 to 7 ft. trans. | 1 75 | 12 00 | |
| 4.6 | 4.6 | 4.6 | 44 | 7 to 8 ft. trans. | 2 00 | 15 00 | |
| 4.6 | 66 - | 41 | 6.6 | 12 to 14 ft, trans. | 4 00 | 35 00 | |
| 6.6 | 44 | 4.6 | 44 | 15 to 18 ft, trans. | 35 00 | | |

These 15 to 18 feet trees are extra selected specimens, transplanted three years ago and planted wide apart, enabling the heads to develop into large shapely tops. They have perfectly straight stems and have an abundance of strong, fibrous roots. They are particularly desirable for use where a selected, transplanted and well developed tree is required for immediate effect.


| 44 | Wierii, | Wier | 's Cut- | leave | Maple, | 7 to 8 ft. trans. | 3 50 | 30 00 |
|-----|---------|------|---------|-------|--------|---------------------|---------|-------|
| 4.4 | 14 | 64 | 4. | 4.6 | | 8 to 10 ft. trans, | 4 00 | 35 00 |
| 4.6 | 4.6 | . 44 | 6.6 | ** | 4.6 | 10 to 12 ft. trans. | 6 00 | 50 00 |
| 4.6 | 4.4 | 6.6 | 4.6 | 44 , | 4.6 | 12 ft. trans. | . 15 00 | |

Our 12 feet Wier's Cut-leaved Maple are very fine specimens, with straight leaders and low-branched. They were transplanted three years ago and set wide apart in the nursery rows, and have not been crowded.

| 4.4 | negundo, A | sh-leaved | Maple. | Box Elde | r, 1 to 2 ft. seed. | 25 | 50 | 3 00 |
|-----|--------------|-----------|-----------|-----------------|---------------------|-------|-------|--------|
| 4.4 | 66 | 4.6 | 66 | 66 66 | 6 to 7 ft, trans. | | 10 00 | 90 00 |
| 4 6 | 6.6 | 4.6 | 4.6 | 4.6 4.6 | 7 to 8 ft. trans. | 2 00 | 12 00 | 100 00 |
| 6.6 | | 44 | 44 | 64 64 | 9 to 10 ft. trans. | 2 50 | 15 00 | 120 00 |
| 4.6 | 4.6 | 44 | 6.6 | 1½ in. diam. | 10 to 12 ft, trans | 3 00 | 17 50 | |
| 4.6 | 46 | fi . | "1½ to | o 134 in. diam. | 12 to 14 ft. trans. | 3 50 | 25 00 | |
| 6.6 | 4.6 | \$ 6 | " 2 to | 21/4 in. diam. | 12 to 14 ft. trans. | 4 00 | 30 00 | |
| 4.6 | platanoides, | Norway N | laple. | | 3 to 4 ft. trans. | 1 25 | 10 00 | 90 00 |
| 44 | 66 | , | 4. | | 4 to 5 ft. trans. | 1 75 | 15 00 | 125 00 |
| 4.6 | 61 | 4.6 | 66 | | 6 to 7 ft. trans. | 2 00 | 18 00 | 150 00 |
| 4.4 | 6.6 | | 6.4 | | 7 to 8 ft. trans. | 2 50 | 20 00 | |
| 6.6 | 66 | | 44 | | 9 to 10 ft. trans. | 3 00 | 25 00 | |
| 4.4 | 6.6 | 6.6 | " 2 to | 21/4 in. diam. | 10 to 12 ft. trans. | 5 00 | 40 00 | |
| 66 | 66 . | 4.6 | 66 | 2½ to 2¾ in. | liam. 12 ft. trans. | 8 50 | 75 00 | |
| 44 | 4.4 | 4.6 | " 21/4 to | 3 in. diam. 12 | to 14 ft. trans. | 30 00 | | |

The 12 to 14 feet, $2\frac{1}{4}$ to 3 inch trees are specimen plants, transplanted three years ago, which have been set out in wide nursery rows to enable the heads to have ample room to fully develop, without crowding. The trees have perfectly straight trunks, and are heavily rooted. They are especially desirable where specimen trees of good size are needed for immediate effect.

| 44 | pseudo-platanus, S | ycamore | Maple, | 6 in. seed. | 35 | 75 | |
|----|--------------------|---------|--------|---------------------|------|-------|-------|
| 44 | 46 | " | | 2 to 3 ft. trans. | 1 25 | 10 00 | 80 00 |
| 66 | 66 | ** | 66 | 8 to 9 ft. trans. | 2 50 | | |
| 68 | | 44 | 66 | 16 to 11 ft. trans. | 3 50 | | |



| | | | | | | Per 10 | Per 100 | Per 1000 |
|-----|--------------|-----------|-----------------|----------|---------------------|--------|---------|----------|
| Ace | er rubrum, F | Red Ma | ole, | | 10 to 12 in. seed. | \$ 35 | \$ 1 25 | \$10 00 |
| 4.6 | 44 | | | | 6 to 7 ft. trans. | 3 00 | 25 00 | |
| 4.6 | 6.6 | | | | 7 to 8 ft. trans. | 3 50 | | |
| 4.6 | 44 | 44 4 | | | 9 to 10 ft. trans. | 4 00 | | |
| ** | Schwedler | i, Purple | e-leaved | Norway, | 4 to 5 ft. trans. | 3 00- | 25 00 | |
| 14 | | | | , | 5 to 6 ft, trans. | 3 50 | 30 00 | |
| 16 | . 66 | | | | 7 to 8 ft. trans. | 4 00 | 35 00 | |
| | saccharin | am, Suga | ar Maple, | | 6 in. seed. | 35 | 75 | 6 00 |
| 16 | | | | | 7 to 8 ft. trans. | 2 00 | 15 00 | |
| 44 | | 4.6 | 4.6 | | 9 to 10 ft. trans. | 2 50 | 20 00 | |
| 4.4 | 4.6 | | 6.6 | | 10 to 12 ft. trans. | 3 00 | 25 00 | 200 00 |
| 4.6 | | 4.6 | 11/4 to 13/8 in | . diam. | 12 to 14 ft. trans. | 3 50 | 30 00 | 250 00 |
| 4.4 | 66 | | 11/2 to 15/8 in | diam. | 12 to 14 ft. trans. | 4 00 | 35 00 | 300 00 |
| 44 | 44 | 4.6 | 13/4 to 2 in. | diam. | 12 to 14 ft. trans. | 8 50 | 75 00 | 600 00 |
| 40 | 4.6 | nigrum, B | lack Sug | ar Maple | 6 to 7 ft. trans. | 1 75 | | |
| | | " | | | 8 to 9 ft. trans. | 2 00 | | |
| | 4.6 | | | | 10 to 12 ft. trans, | 2 75 | | |
| | | | | | | | | |

The leaves of the Black Sugar Maple are heavier and of darker color than the other form, and being of tougher texture are not attacked by insects.

| 6.6 | spicatum, | /lountai | n Maple, | 2 to 3 ft. trans. | 2 00 | 18 00 |
|-----|-----------|----------|----------|----------------------|------|-------|
| 1.6 | 44 | 4. | | 5 to 6 ft. trans. | 4 00 | |
| 6.6 | Tataricum | Ginnale | 44 | 5 to 6 in, seed. | 35 | 2 00 |
| 44 | " | 4.6 | 4.6 | 2 to 21/2 ft. trans. | 1 50 | 12 00 |
| 4.6 | 44 | 4.6 | 44 | 2½ to 3 ft. trans. | 2 50 | 20 00 |

*The Ginnale Maple is remarkable for the brilliant coloring of its leaves in the fall. It is not a large-growing tree, but rather a good-sized bush.

JAPANESE MAPLES.

*It will be observed that nearly all of our Japanese Maples are pot-grown. This makes transplanting almost certain of success. Our plants are all home-grown and are much more hardy and healthy than the weak, imported stock.

| Ace | r Japonicun | n aureum, Gold | len-leaved, | 18 to | 24 in. from pots | \$ 15 00 | | |
|------|-------------|-------------------|----------------------------|-----------|---------------------|-----------------|-------|--------|
| - 44 | polymorph | um, Green-leav | red, | 18 to | 24 in. from pots | 10 00 | | |
| | . " | atropurpur Cut | eum dissect -leaved pur | | to 24 in, from pots | s 15 CO | | |
| 2.2 | 4.4 | atropurpur | eum, Purple | e-leaved, | 12 to 15 in. trans. | 10 00 | | |
| Æs | culus glabr | a. Am. Hors | e-Chest | nut, | 2 to 3 ft, seed. | 50 | | |
| | " hippocas | tanum, Eu. He | orse-Che | stnut, | 8 to 12 in. seed | 25 | \$ 75 | \$6 00 |
| | | 44 | | • | 18 to 24 in. trans. | 1 25 | 10 00 | |
| | ** | 44 | 4.4 | | 2 to 3 ft. trans. | 1.50 | 12 00 | |
| | | 66 | 4.4 | | 3 to 4 ft. trans. | 2 50 | | |
| | 66 | 44 | 44 | | 8 to 10 ft. trans. | 4 00 | 35 00 | |
| Aila | nthus gla | ndulosa, | | | 18 to 21 in, seed. | 35 | 75 | 4 00 |
| | | | | | 4 to 5 ft. trans. | 2 00 | | |
| 4.4 | | female, | | | 2 to 3 ft. | 1 50 | 12 00 | |
| | | | | | 12 ft. heavy | 10 00 | | |

*The female Ailanthus is the seed-bearing form, and is almost free from the disagreeable odor common to the male form.

| Alnus glutino | sa, Euro | pean | Aldei | ·. | 1 ft. seed. | 35 | 2 00 |
|---------------|----------|--------|---------|--------|--------------------|------|-----------|
| 66 68 | , | | | • | 3 ft. trans. | 1 50 | 10 00 |
| " incana, | | 44, | | | 7 to 8 ft. trans. | 1 75 | 15 00 |
| | | | | | 9 to 10 ft, trans. | 2 50 | 20 00 |
| " serrula | | ** | | bushy, | 3 to 4 ft. trans. | 1 75 | |
| Amygdalus | Persica | Doubl | e White | Peach, | 4 to 5 ft. | 2 50 | 20 00 |
| ** | u | ** | Pink | | 4 to 5 ft. | 2 50 | 20 00 |
| 11 | | | Red | - 46 | 4 to 5 ft. | 2 50 | $20 \ 00$ |
| Andromeda | arborea | , Sorr | el Tre | Θ, | 2 to 3 ft. trans. | 2 50 | 20 00 |
| | ** | | 44.1 | | 3 to 4 ft. trans. | 3 50 | 25 00 |

| | | | | | | | Per 10 | Per 100 | Per 1000 |
|-------|-----------|-----------|--------|-------|----------|--------------------------------|--------|-----------------|----------|
| Arali | a Cashme | rica, | | | | 2 to 3 ft. trans. | \$2 00 | | |
| 6.6 | Japonic | a, | | | | 2 ft. trans. | 2 00 | \$ 15 00 | |
| 6.6 | Mandsh | urica, | | | | 1 to 2 ft. trans. | 1 25 | 10 00 | |
| 6.6 | pentaph | ylla, | | | | 6 to 8 in, trans. | 1 00 | 8 00 | |
| 6.6 | 4.4 | | | | | 12 to 18 in, trans. | 1 50 | 10 00 | |
| 4.6 | 6.6 | | | | | 18 to 24 in. trans. | 2 00 | 18 00 | |
| 6.6 | 4.4 | | | | | 3 to 4 ft. trans. | 1 75 | 15 00 | |
| 6.6 | spinosa, | | | | | 2 to 3 ft. trans. | 1 25 | 10 00 | |
| 6.6 | 6.6 | | | | | 3 to 4 ft. trans. | 1 50 | | |
| Betui | a alba, E | uropea | n WI | nite | Birch. | 11/2 to 2 ft. seed. | 25 | 7 5 | \$ 6 00 |
| 6.6 | 1. | 6.0 | | | , | 3 to 4 ft. trans. | 1 75 | 15 00 | 120 00 |
| 6.6 | 4.4 | 4.6 | | 4.4 | | 4 to 5 ft. trans. | 2 00 | 17 00 | 150 00 |
| 6.6 | 4.6 | 4.4 | | 6.6 | | 6 to 7 ft. trans. | 2 50 | 20 0 0 | |
| 6 6 | 6.4 | 6.6 | | 4.6 | | 8 to 10 ft. trans. | 3 50 | | |
| 4.6 | " Y | oung's | Wee | oing, | | 3 to 4 ft. trans. | 5 00 | 40 00 | |
| 4.6 | " pu | rpurea, P | urple | -lea | ved, | $2\frac{1}{2}$ to 4 ft. trans. | 3 50 | 30 00 | |
| 6.6 | lutea, Y | ellow E | Birch. | | , | 3 to 4 ft. trans. | 1 75 | 15 00 | |
| " | 4.4 | 6.6 | 6.6 | | | 9 to 10 ft. trans. | 3 50 | 30 00 | |
| 6.6 | papyrac | ea, Cano | e or F | ape | r Birch, | 6 to 7 ft, trans. | 3 50 | | |
| 6.6 | | | | | Birch, | 6 to 8 in. seed. | 35 | 1 50 | 8 00 |
| | 1.6 | 66 66 | 6.6 | 6.6 | 6.6 | 5 to 6 ft. trans. | 2 50 | 20 00 | |
| 6.6 | 6.6 | ei ei | 4.6 | 6.6 | 6.6 | 6 to 8 ft. trans. | 3 00 | 25 00 | |
| 6.6 | 4.6 | 66 66 | 4.4 | 6.6 | " heavy, | 10 to 12 ft. trans. | 5 00 | | |

We have a splendid stock of the different varieties of Birch. They are all low-branched and bushy and for general landscape and park work this is the only way to grow them. Our plants are all young and thrifty and have excellent roots.

| Brous | sonetia p | apyrifera, P | aper Mulberry | , 10 to 11 ft. trans. | 5 00 | | |
|-------|-------------------|--------------|-------------------------------|----------------------------------|------|-------|--------|
| Carpi | nus Americ | eana, Am. I | Hornbeam, | 1 to 2 ft. trans. | 1 25 | 10 00 | |
| | | 4.6 | " bushy | , 18 to 24 in. trans. | 1 50 | 12 00 | |
| 4.6 | 4: | | 44 | 2 to $2\frac{1}{2}$ ft. trans. | 2 50 | | |
| 4.4 | Betulu | s, Eu. Hor | nbeam, | $2\frac{1}{2}$ to 3 ft. trans. | 1 50 | | |
| Carya | alba, Shel | lbark. | | 3 to 4 in. seed. | 35 | 2 50 | 15 00 |
| 6.6 | amara, Bit | ternut, | | 3 to 5 in, seed. | 35 | 2 00 | 10 00 |
| | microcarpa | , | | 2 to 3 ft. seed. | 50 | | |
| 4.6 | 6.6 | | | 4 to 5 ft. seed. | 85 | | |
| 64 | olivæformis | , Pecan, | | 4 to 8 in seed. | 35 | 2 00 | |
| 66 | 4 4 | 40 | | 12 to 18 in, seed. | 50 | 3 00 | |
| " | 4.6 | 1.6 | | 3 to 4 ft. seed. | 1 00 | | |
| " " | porcina, Pi | gnut, | | 8 to 12 in. seed. | 35 | 2 00 | |
| 6.6 | sulcata, W | estern Hi | ckory, | 2 to 2½ ft. seed. | 50 | | |
| 66 | tomentosa, | | ,, | 3 in. seed. | 35 | 2 00 | 10 00 |
| 4.4 | 4.4 | | | 8 to 12 in. seed. | 50 | | |
| Casta | nea Ameri | icana, Swe | et Chestnut, | $3\frac{1}{2}$ to 4 ft. trans. | 2 00 | 15 00 | |
| 4.6 | pumila | a, " | 4.6 | 2 to 3 ft. trans. | 1 75 | 15 00 | |
| 4.6 | 6.6 | Chinqu | epin, bush | y, 3 to 4 ft. trans. | 3 50 | | |
| 6.6 | vesca, | Spanish | , | 8 to 12 in. seed. | 50 | 3 00 | |
| 14 | 6.6 | | | 2 to 3 ft. | 2 00 | | |
| 4.6 | 4.6 | 4.6 | | 6 to 8 ft. | 3 50 | | |
| 6.6 | Parag | on, | | 6 ft. trans. | 5 00 | | |
| | pa bignonio | ides, Eas | stern Catalpa | 1 to 2 ft. seed. | 35 | 1 00 | 6 00 |
| ** | * * | | | 5 to 6 ft. trans. | 2 50 | 20 00 | |
| 4.6 | aurea, C | olden-lea | ved, | 2 to $2\frac{1}{2}$ ft. trans. | 2 50 | | |
| 4.6 | 6.6 | 4.4 | | 3 to 4 ft. trans. | 3 00 | | |
| 1.6 | 6.6 | 4.6 | | 4 to 5 ft. trans. | 4 00 | | |
| 11 | | standard, | 2 year heads, | 6 to 8 ft. | 5 00 | | |
| 6.6 | Kæmpfei | ri, Japane | se, | 8 to 12 in. seed. | 35 | 1 50 | |
| 44 | 4.6 | 6.6 | | 3 to 4 ft. seed. | 50 | 3 00 | |
| | | 4.4 | $1\frac{3}{4}$ to 2 in. diam. | 12 to 14 ft, trans. | 3 50 | | |
| 4.6 | speciosa, | Western, | , | 8 to 12 in. seed. | 25 | 59 | 3 00 |
| " | | 4.6 | | 6 to 7 ft. trans. | 1 75 | 15 00 | 120 00 |
| 11 | 4.6 | 6.0 | | 8 to 9 ft. trans. | 2 50 | 20 00 | 150 00 |
| | | | | | | | |

| | | | | | | Per 10 | Per 100 | Per 1000 |
|--------|--------------|------------|---------|-------------------|---------------------------|----------------|---------|----------|
| Catalo | a speciosa | . West | tern. | 1% to 13/ in. | diam. 9 to 10 ft. trans. | \$ 3 00 | \$25 00 | |
| 041417 | " | " | , | | iam. 12 to 14 ft, trans. | 4 00 | 35 00 | |
| Celtis | occidentalis | . Netti | e. or | Hackberr | v. 5 to 6 ft. trans. | 2 50 | 20 00 | \$150 00 |
| 44 | ** | 11 | , | 6.6 | 8 to 9 ft. trans. | 3 50 | | |
| 6.6 | pumila, | | | | 10 to 12 in, seed. | 50 | | |
| 6.6 | | | | | 4 to 5 ft. | 3 50 | | |
| Cerasi | us serotina | Am. | Bird | Cherry. | 12 to 18 in, seed. | 35 | 1 00 | |
| " | " | 44 | - 11 | , | 3 to 4 ft. trans. | 1 00 | 8 00 | 70 00 |
| 44 | 6.4 | 4.6 | 1 6 k | 4.6 | 4 to 5 ft. trans. | 1 25 | 10 00 | |
| ** | | . 66 | . 6 | 4.4 | 5 to 6 ft. trans. | 1 75 | 15 00 | |
| 4.0 | 6.4 | 6.6 | 4.6 | | 6 to 7 ft, trans. | 2 50 | 20 00 | |
| 1.3 | Pernsy | lvanica, | | | 2 to 3 ft, seed. | 1 50 | | |
| 4.4 | rosea p | endula, | Weepi | ng flower'g (| therry, 6 ft. 1 year head | 5 00 | | |
| 6.6 | " | ** | | " | " 2 year head | | | |
| 8.6 | avium a | alba pler | na. Do | uble Whi | te. 4 to 5 ft. trans. | 2 00 | 18 00 | |
| 6.6 | 6.6 | | , | " | 5 to 6 ft. trans. | 2 50 | | |
| 6.6 | ranunc | ulæflora | Dou | ble W hite | 4 to 5 ft, trans. | 2 00 | 18 00 | |
| 4.6 | Siebold | i rubra 1 | olena, | Double Re | d. 4 to 5 ft, trans. | 2 00 | 18 00 | |
| 4.6 | 4.6 | | | " | 5 to 6 ft. trans. | 2 50 | 20 00 | |
| ** | Sinensi | s flora pl | lena, [| ouble Wh | ite. 4 to 5 ft, trans. | 2 00 | 18 00 | |
| 6.6 | 66 | | 1. | , " | " 5 to 6 ft. trans. | 2 50 | | |

Double-flowering cherries are beautiful in the spring and should be more largely planted where a good flowering effect is wanted. They are all perfectly hardy over almost the entire country.

| Cercis | Canadensis | Red Bud | or Juda | as, | 18 to 24 in, trans. | 1 00 | 8 00 |
|--------|------------|----------|---------|--------|----------------------------------|------|-------|
| 1.6 | | " | 4.6 | | 2 to $2\frac{1}{2}$ ft. trans. | 1 50 | 12 00 |
| 6.6 | 4.4 | 4.6 | 6.6 | | $2\frac{1}{2}$ to 3 ft. trans. | 1 75 | 15 00 |
| . 46 | 4.4 | 4.6 | 4.4 | heavy, | 3 to 4 ft. trans. | 2 50 | 20 00 |
| 6.6 | Japonica, | Japanese | Judas, | | 12 to 18 in. trans. | 1 00 | 8 00 |

*Our stock of Red Bud or Judas will be found exceptionally large and fine this year. They are all transplanted.

| Clada | stris tine | toria, Y | ellow | Wood, | 10 to 18 in, seed, | | 35 | 2 50 | 20 00 |
|-------|-------------------|-----------------|-------|-------|----------------------|----|----|-------|-------|
| 4.6 | 4 | 6 | 6.6 | 44 | 4 to 5 ft. trans. | 3 | 50 | | |
| 6.5 | 4 | 4 | 44 | 4.6 | 5 to 7 ft. trans. | 5 | 00 | | |
| Cornu | s florida, | White | Dogy | wood, | 18 to 21 in. trans. | 1 | 50 | 12 00 | |
| 4.6 | | 41 | 1.6 | , | 2 to 21/2 ft. trans. | 2 | 00 | 15 00 | |
| 6.6 | 6.6 | 6.6 | 4.4 | | 2½ to 3 ft. trans. | 2 | 50 | 20 00 | |
| 4.4 | 6.6 | 4.4 | 4.4 | | 3 to 31/2 ft. trans. | 3 | 50 | | |
| 6.6 | * 6 | | 4.4 | | 6 to 7 ft. trans. | 15 | 00 | | |

The 6 to 7 ft, are very bushy, specimen plants, that have been transplanted within the last three years; they have well developed tops, and ample fibrous roots. They have been selected for perfect specimens and have been given all care necessary to make them such. They will be found particularly desirable where a well-formed, specimen Dogwood is required.

| 6.6 | florida pendula, We | eping Dogwood, | 2 to 3 ft. trans. | 3 | 50 | 30 0 | 0 | |
|--------|---------------------|--------------------|----------------------|---|----|------|-----|-------|
| 4.6 | 16 66 | , | 4 to 5 ft, trans. | 5 | 00 | | | |
| C 5 | " rubro, Red-fl | owering " | 2 to 21/2 ft. trans. | 3 | 50 | | | |
| Cytisu | is Laburnum, | | 1 to 2 ft. trans. | | 35 | 2 (| 0 | 12 00 |
| 11 | 14 | | 3 to 31/2 ft. trans. | 1 | 00 | 8 0 | 0 | |
| 14 | 44 | | 4 to 5 ft. trans. | 1 | 25 | 10 0 | 0 | |
| Dimo | rpanthus Mandshi | ırica,—See Aralia. | | | | | | |
| Diosp | yros Virginiana, Ar | n. Persimmon. | 8 to 10 in. seed. | | 35 | 2 0 | 0 | |
| ** | 44 | 44 | 3 ft. trans. | 1 | 50 | 12 0 | Ð | |
| 6.6 | 16 | 44 | 4 ft. trans. | 2 | 50 | 15 0 | 0 . | |
| 44 | " | 4.4 | 5 to 7 ft, trans. | 3 | 50 | | | |
| Fagus | s ferruginea, Ameri | can Beech. | 2 to 3 ft, trans. | 4 | 00 | 35 0 | 0 | |
| ** | 11 | " | 3 to 4 ft. trans. | 5 | 00 | 40 0 | 0 . | |
| 8.6 | sylvatica, Europe | an Beech. | 10 to 15 in trans. | | 25 | 12 | 5 | 10 00 |
| 6.6 | " | 11 | 2 ft. bushy | 2 | 00 | 18 0 | 0 | |

| | | | | | Per 10 | Per 100 | Per 1000 |
|--------|------------|------------------------|-------------------|--------------------------------|--------|----------------|----------------|
| Fagus | s sylvatic | a, Europeai | n Beech, heavy, | 3 to 4 ft. trans. | \$2 50 | \$20 00 | |
| h- | 4.6 | | " heavy, | 4 to 5 ft. trans. | 3 50 | 25 00 | |
| the er | 4.4 | 4.6 | " heavy, | 5 to 6 ft. trans. | 4 00 | 30 00 | |
| | #ar The 1 | European Bee | ch offered are v | ery heavy and bu | shy an | d finely | rooted. |
| ii | 44 | heterophylla. | Cut-leaved Beech, | 2 to $2\frac{1}{2}$ ft, trans. | 4 00 | | |
| | 46 | | eping Beech, | 2½ to 3 ft, trans. | 3 50 | | |
| 44 | 47 | pondana, W | " bulg beccui. | 4 to 5 ft. trans. | 5 00 | | |
| 4.6 | 4.6 | nurnurea Co | pper Beech, | 10 to 15 in. | 35 | 2 50 | \$20 00 |
| 66 | ** | | od-leaved, | 18 to 24 in. trans. | 3 00 | | 42 . 33 |
| 4.6 | ** | " | " | 4 to 5 ft. trans. | 6 00 | | |
| 64 | 4.6 | ** | 4.6 | 6 to 7 ft. trans. | 7 50 | | |
| Fraxio | nus Ame | ricana, Am. \ | White Ash. | 6 to 10 in. seed. | 35 | 1 00 | 6 00 |
| " | | 16 | " | 5 to 6 ft. trans. | 1 50 | 12 00 | |
| | | 44 | 44 | 6 to 7 ft, trans. | 1 75 | 15 00 | |
| 44 | | 44 | 44 | 7 to 8 ft. trans. | 2 00 | 18 00 | |
| ** | | 44 | ** | 8 to 9 ft, trans. | 2 50 | 20 00 | |
| 44 | | 66 | ** | 9 to 10 ft. trans. | 3 00 | | |
| 4.4 | Exce | lsior, Englisi | n Ash. | 8 to 9 ft. trans. | 2 50 | | |
| ** | | 21151131 | " | 10 to 11 ft. trans. | 3 00 | 25 00 | |
| ** | | | " 1½ to 1¾ in | . 10 to 12 ft. trans. | 3 50 | | |
| 61 | | 16 66 | | . 12 to 14 ft. trans. | 4 00 | | |
| 44 | | ' aurea, Colo | | 3 to 4 ft, trans. | 2 50 | | |
| ** | | " aucubæfolia | , | 7 to 8 ft. trans. | 3 50 | | |
| 4.4 | | | , Cut-l'v'd Ash | 6 to 7 ft. trans. | 3 50 | | |
| 4.6 | - | | eeping Ash, | 6 to 7 ft. trans. | 3 50 | | |
| 44 | Ornu | s, Flowerin | | 5 to 6 ft. trans. | 1 75 | 15 00 | |
| ** | 4.6 | ** | 3, | 6 to 7 ft, trans. | 2 50 | 20 00 | |
| ** | 44 | 4.6 | 4.6 | 7 to 8 ft. trans. | 3 00 | | |
| 41 | quad | rangulata, BI | ue Ash. | 5 to 6 ft. trans. | 2 00 | 18 00 | |
| ** | | | 44 | 6 to 7 ft. trans. | 2 50 | 20 00 | |
| 44 | | 44 | 66 | 7 to 8 ft. trans. | 3 00 | 25 0 0 | |
| 66 | viridi | s, Creen As | h. | 4 to 5 ft. seed. | 75 | 5 00 | |
| Cledit | | | ney Locust, | 6 to 8 in. seed. | 25 | 50 | 3 00 |
| 14 | | 4.6 | " | 6 to 7 ft, trans. | 2 50 | 20 00 | |
| Cymn | ocladu | s Canadensis, | Ky, Coffee, | 1 ft. seed. | 35 | 1 50 | 7 00 |
| • | ** | 4.6 | " | 1 to 2 ft. seed. | 50 | 2 00 | 10 00 |
| | 4.6 | | 44 | 4 to 5 ft. trans. | 2 00 | 15 00 | 100 00 |
| | 44 | 4.6 | 6.6 | 6 ft. trans. | 3 00 | 25 00 | |
| | 44 | 46 | 4.6 | 10 to 12 ft. trans. | 4 00 | 35 00 | |
| | | | | adapted for park | | | y plant- |
| | | | | ng a striking app | earanc | е. | |
| Jugia | ns cinere | a, Butternu | t, | 1 to 2 ft. seed. | 50 | 2 50 | 20 (0 |
| " | ** | | | 3 ft. trans. | 1 25 | 10 00 | |
| | 46 | | | 5 ft. trans. | 2 00 | 15 00 | |
| " | nigra, | Black Wall | nut, | 1 to 2 ft. seed. | 50 | 2 00 | 15 00 |
| ** | 44 | | • | 1 to 2 ft. trans. | 1 25 | 10 00 | |
| " | | English ' | | 18 to 24 in. seed. | 35 | 2 00 | 15 0 0 |
| | | | arnish Tree, | 6 to 10 in, seed. | 35 | 2 00 | 10 00 |
| | | European I | Larch, | 12 to 18 in. trans. | 1 25 | 10 00 | |
| 41 | 44 | | | 8 to 10 ft. trans. | 3 00 | | |
| 44 7 | | 4.6 | | 10 to 12 ft. trans. | 4 00 | | |
| | Leptolepis | | Pot-grown | , 3 to 31/4 ft. trans. | 10 00 | | |
| Lauru | s Sassafr | as, | | 2 to 3 ft. trans. | 2 50 | 20 00 | |
| Linde | ra Benzo | in,—See Shrubs | s, page 17. | | | | |
| Liquic | dambai | styraciflua, S | weet Cum, | 1 to 2 ft. seed. | 35 | 2 50 | 20 00 |
| | | " | " | 4 to 5 ft. trans. | 3 00 | 25 00 | 200 00 |
| Liriod | endron | tulipifera, T u | lip Poplar. | 1 to 2 ft. seed. | 35 | 2 00 | 15 00 |
| | , and | | | 4 to 5 ft. trans. | 2 00 | 15 00 | 20 00 |
| Maclu | ıra aurai | ntiaca, Osage | Orange, bushy | | 1 00 | 8 00 | 50 00 |
| 6. | | " | | No. 1, for hedging | | | 3 5) |
| | | | | _ 0 | | | |

| | | | | Per 10 | Per 100 | Per 1000 |
|---------|--------------------------|---|-----------------------------------|------------|---------|----------|
| Magn | olia conspicua, Chir | nese White, from r | ots 18 to 24 in. | \$10 00 | | |
| Was !! | 11 | " from r | oots 3 to 3½ ft. trans. | 15 00 | | |
| 4.6 | glauca, Swam | | 18 to 24 in. trans. | 3 50 | \$30 00 | |
| 4.6 | Kobus, | ,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,, | 12 to 18 in. seed. | 75 | 5 00 | |
| 64 | 66 | | 12 to 15 in. trans. | 3 50 | 20 00 | |
| 6.4 | Lennei, | with ba | | 12 50 | | |
| 6.6 | purpurea, Chine | ese Purple, from po | ts, 18 to 24 in. trans. | 6 00 | | |
| 6.6 | | hinese Pink, | 18 to 24 in. trans. | 3 00 | 25 00 | |
| 6.6 | 6.6 | 66 66 | 2 to 3 ft. trans. | 5 00 | 40 00 | |
| 1.6 | speciosa, | with b | all, 4 to 5 ft. | 12 50 | | |
| 6.6 | tripetala, Umk | rella Tree, | 4 to 5 in, seed. | 35 | 2 50 | |
| 6.6 | 4.6 | 44 | 8 to 12 in. seed. | 50 | 3 00 | |
| 61 | 4.6 | 4.6 | .10 to 11 ft. trans. | 3 00 | | |
| 6.6 | stellata (Hallea | | all, 2 ft. trans. | 12 50 | | |
| 6.6 | 46 66 | 6.6 | 3 ft. | 17 50 | | |
| Melia | Azederach, Tree o | f China, | 1 ft. seed. | 50 | 3 00 | |
| Morus | alba, White Mul | berry, | 6 to 12 in. seed. | 35 | 1 00 | \$6 00 |
| 6.6 | 46 46 | 6.6 | 5 to 6 ft. trans. | 2 00 | 15 00 | |
| 4.6 | 46 46 | bu bu | shy, 8 to 10 ft. trans. | 3 00 | 25 00 | |
| | Tatarica, Russian | | 12 to 18 in. seed. | 35 | 1 00 | 6 00 |
| | 44 | 4.6 | 5 to 6 ft, trans. | 1 50 | 12 00 | 100 CO |
| 6.6 | 66 46 | 6.6 | 6 to 7 ft. trans. | 1 75 | 15 00 | 125 00 |
| | Teas' Weeping Mull | | l year heads. | 4 00 | | |
| Negun | do fraxinæfolia,—S | ee Acer Neguno | do, page 3. | | | |
| Oxyde | ndron arborea, | -See Andromeda, | page a. | . 0 00 | | |
| | Virginica, Iron-w | | 2 to 3 ft, trans. | 3 00 | 15 00 | |
| Paulov | wnia imperialis, E | mpress i ree, | 3 ft. trans. 6 to 8 ft. trans. | 2 00 | 15 00 | |
| | | | 12 to 18 in, seed. | 3 00 35 | 2 00 | |
| Phello | dendron amurens | se, | 5 to 6 ft. trans. | 3 00 | | |
| Diam'r. | ** | | 12 to 15 in, trans. | 3 00 75 | 6 00 | 50 00 |
| Photir | ia villosa, | | 18 to 24 in, trans. | 1 00 | 8 00 | 70 00 |
| ** | ** | | to to 24 m, traus. | 1 00 | 0 00 | 10 00 |

The Photinia is being largely planted now in Park, Cemetery and Landscape work, its coral berries and the brilliant coloring of its foliage in the fall making it especially attractive.

| Plata | nus occ | eidentalis, 🛕 | m. Bu | ttonwood, | 5 to 7 ft. trans. | 2 00 | 15 00 | |
|-------|-----------|---------------|-------|------------------|---------------------|-------|-------|-------|
| " or | ientalis, | Oriental | Plane | , Sycamore, | 1 year | 35 | 2 50 | 20 00 |
| 4.4 | 4.6 | 4.6 | 6.6 | 16 | 5 to 6 ft. trans. | 3 00 | 25 00 | |
| e 6 | 4.6 | 46 | ** | 4.6 | 6 to 7 ft. trans. | 3 00 | 27 50 | |
| 66 | 4.6 | 4.4 | 4.6 | 4.6 | 8 to 9 ft. trans. | 3 50 | 30 00 | |
| 6.6 | 4.6 | 6.6 | 6.5 | 6.6 | 8 to 10 ft. trans. | 4 00 | | |
| 6.6 | 6.6 | 4.4 | 6.6 | 21/4 to 21/2 in. | 12 to 15 ft. trans. | 30 00 | | |

The 12 to 15 feet Planes are specimen trees, originally selected from our young blocks, and set out in wide nursery rows to allow them ample room to develop. They are extra fine, shapely specimens, and where such a tree is required for an immediate effect, in a prominent position, these trees will be found to be exactly what is required.

| Po | puli | ıs alba, Ş | Silver F | oplar | | | 4 to 5 ft, trans. | 1 | 75 | 15 | 00 | | |
|----|------|------------|----------|--------|---------|--------|---------------------|-----|----|-----|----|-------|----|
| | * ** | 6.5 | 6.6 | * 61 | • | | 6 ft. trans. | 2 | 50 | 20 | 00 | | |
| | 6.6 | . 66 | 4.6 | 4.6 | | | 1 to 2 ft. | | 35 | 2 | 50 | 20 00 |) |
| | 66 | Bolleana, | Pyran | nidal | Silver- | leaved | 1 to 2 ft. | | 50 | 3 | 50 | 25 00 |). |
| | 4.6 | 4.6 | " | | | | 4 to 5 ft. trans. | 2 | 50 | 20 | 00 | | |
| | 6.6 | 6.6 | 6.6 | | 4.6 | | 5 to 6 ft. trans. | 3 | 00 | 25 | 00 | | |
| | 6.6 | 4.6 | 6.6 | | 4.6 | | 10 to 12 ft. trans. | 5 | 00 | | | | |
| | 4.4 | fastigia | ta, Lon | bard | v Popla | ar. | 2 to 3 ft. 1 year | | 75 | | | | |
| | 64 | ** | , | ** | 16 | , | 3 ft. trans. | 1 | 50 | | | | |
| | 64 | 4.6 | | b 6 | 4.6 | | 6 to 7 ft. trans. | 2 | 50 | | | | |
| | 4.4 | 44 | | 6.6 | 4.4 | | 8 to 10 ft. trans. | . 2 | 50 | 20 | 00 | | |
| | 4.6 | 4.6 | | 4.6 | - 44 | heavy, | 12 to 14 ft. trans. | 5 | 00 | | | | |
| | 6.6 | monilif | era, Cai | rolina | Popla | r. | 4 to 5 ft. | 1 | 00 | - 7 | 00 | | |
| | 66 | 6.6 | , – • | 44 | 16 | ., | 10 to 12 ft. | 3 | 50 | | | | |
| | 4.6 | 44 | | 86 | 6.6 | | 12 to 14 ft. | 4 | 00 | | | | |
| | 66 | 44 | | 4.6 | 44 | | 14 to 16 ft. | 7 | 50 | | | | |

| | | | | | | Per 10 | Per 100 | Per 1000 |
|-------|-------------|-------------------|----------|---------|---|--------------|--------------|--------------------------|
| Ptele | a trifoliat | a, Hop Tr | ee, | | 18 to 24 in. seed. | \$ 35 | \$1 25 | |
| 4.4 | 6.4 | • " | • | | 3 to 4 ft, trans. | 1 50 | 12 00 | \$ 100 0 0 |
| 8.6 | 4.6 | 6.6 | | • | 4 to 5 ft. trans. | 2 00 | 15 00 | 125 00 |
| 5.5 | 6.6 | 6.6 | | | 5 to 8 ft. trans. | 3 00 | | |
| 6.6 | 4.6 | aurea, Col | den-leav | ed Hop, | 12 to 18 in. trans. | 1 00 | 8 00 | |
| 4.4 | 6.6 | 6.6 | 6.6 | 4.5 | 2 ft. trans. | 1 25 | 10 00 | |
| 6.0 | 6.6 | 6.6 | 4.4 | 4.6 | 3 to 4 ft, trans. | 2 50 | 20 00 | |
| Pter | ostyrax 1 | nispidum, | | | 6 to 8 in. seed. | 1 00 | 6 00 | 40 00 |
| | | a, Mounta | ain Ash. | | 2 to 3 ft. seed. | 35 | 2:00 | 15 00 |
| ** | ei | 66 | 4.6 | | 6 to 8 ft. trans. | 2 75 | 25 00 | |
| 6.6 | baccata, | | | | 18 to 24 in. trans. | 1 00 | 8 00 | 70 00 |
| 44 | 4.5 | | | | 2½ ft. trans. | 1 25 | | |
| e 6 | Bechte | l's D oubl | e Flower | ing. | 3 ft. trans. | 3 00 | | |
| 8.6 | 6.6 | 6.6 | 6.6 | ٥, | 3 to 4 ft. trans. | 3 50 | 25 00 | |
| 6.6 | 4.6 | 66 | 6.6 | | 4 to 5 ft. trans. | 4 00 | 30 00 | |
| 44 | coronaria | , Sweet S | cented (| Crab. | $2\frac{1}{2}$ to 3 ft. trans. | 1 75 | 15 00 | |
| 6.6 | 4.6 | 6.6 | 44 | " | $3 \text{ to } 3\frac{1}{2} \text{ ft. trans.}$ | 3 00 | | |
| 8.6 | flexilis (| scarlet fr | uit). | | 4 to 6 ft. trans. | 2 50 | 20 00 | |
| 6.6 | | yellow fr | | | 4 ft. trans. | 2 50 | 20 00 | |
| | | | | | | | | |

Particular attention should be given by planters to the different varieties of Pyrus Malus, such as flexilis and Toringo. These sorts produce masses of small apples not much larger than a small cherry, and their effect either in mass planting or as individual specimens is very attractive. The coronaria is the sweet-scented crab, which is now largely used in landscape planting.

| | | | | | . , | | | | | 1 |
|---------|--------|-----------------|-------|-------------|--------------------------------------|--------------------------------|----|----------------|---------------|----------------|
| Quercus | alba, | White | Oak | (Tru | 1e), | 2 to 3 ft, trans. | 4 | 00 | 35 00 | 300 00 |
| | 6.6 | 66 | 6.6 | 6.0 | 6 | 3 to 4 ft. trans. | 5 | 00 | 40 00 |) |
| 6.6 | 6.5 | 4.4 | 6.6 | 4 | 6 | 4 to 6 ft. trans. | 7 | 50 | | |
| 6.6 | Banni | steri, S | crub | Oak | . | 3 to 4 ft, trans. | 5 | 00 | | |
| 4.5 | | | | | te Oak, | 9 to 10 ft. trans. | 10 | 00 | 90 00 | ļ |
| 6.6 | 46. | | 44 | 51 | | 10 to 12 ft. trans. | 12 | 50 | | |
| 6.6 | 4.6 | | 6.6 | 6.6 | 21/4 to 21/2 in | . 10 to 12 ft. | 15 | 00 | | |
| 8.6 | cerris | Turk | ev Oa | ık. | | 5 to 6 ft. trans. | 5 | 00 | 40 00 | J |
| 6.6 | 6.6 | 4.6 | , | | | 6 to 7 ft, trans. | 7 | 50 | 60.00 |) |
| 6.6 | 6.6 | 6.6 | 6 | | | 10 to 12 ft. trans. | 12 | 50 | 100 00 |) |
| 6.6 | coccir | iea, Sca | arlet | O ak | | 3 to 5 in. seed. | | 35 | 2 50 | 15 00 |
| 8.5 | 4.6 | | 6.6 | 4.5 | • | 4 to 6 in. seed. | | 40 | 3 00 | 20 00 |
| 64 | 4.6 | | 44 | 4.6 | | 3 to 4 ft. trans. | 4 | 00 | 35 00 | J |
| 6.6 | 6.6 | | 4.6 | 6.6 | | 4 to 5 ft, trans. | 6 | 00 | 50 00 | |
| 44. | 4.6 | | 6.6 | 4.6 | | 7 to 9 ft. trans. | 8 | 50 | 70 00 | ! |
| 6.6 | 6.6 | | 4.6 | 6.6 | | 9 to 10 ft. trans. | 10 | 00 | 90 00 | , |
| 6.6 | 4.6 | | 4.6 | 5.6 | | 10 to 11 ft. trans. | 12 | 50 | 100 00 | |
| " mae | rocarp | a, Mos | Sy C | io qi | Burr Oak | 12 to 15 in. seed. | | 35 | 2 50 | , |
| 6.6 | 4.6 | 4.6 | | • | 46 66 | 3 to 4 ft, trans. | 4 | 00 | 35 00 | J. |
| 6.6 | 4.6 | . 4.6 | 4 | | 66 66 | 7 to 8 ft. trans. | 8 | 50 | | |
| 6.6 | 6.6 | 44 | 4.0 | | 46 46 | 8 to 9 ft. trans. | 10 | $\theta\theta$ | | |
| 8.6 | nigra, | Black | Jac | k Oa | ak, | 5 to 7 ft, trans. | 7 | 50 | | |
| 4.6 | obtus | iloba, P | ost (| ak, | | 6 to 8 in. seed. | | 35 | 2 50 | |
| 44 | | | 6.6 | 44 | | 12 to 18 in. seed. | | 40 | 3 00 | 1 |
| 6.6 | | 6 6 | 6.6 | 6.6 | | 6 to 8 ft. trans. | 7 | 50 | | |
| 6.6 | palust | ris, Pin | Oal | ζ, | | 6 to 10 in. seed. | | 35 | 2 00 | 10 00 |
| 4.6 | | | 6.6 | | | 12 to 15 in. seed. | | 40 | 2 50 | 12 00 |
| 6.6 | | 66 66 | 4.4 | | | $2\frac{1}{2}$ to 3 ft. trans. | 2 | 50 | 20 00 | 150 0 0 |
| 6.6 | | 14 64 | 4.6 | | | 4 to 5 ft. trans. | 3 | 50 | 30 00 | 250 00 |
| 6.6 | | 66 46 | 4.6 | | | 5 to 6 ft. trans. | 4 | 00 | 35 00 | 300 00 |
| 5.5 | | 16 66 | 6.6 | | | 6 to 7 ft. trans. | 4 | 50 | 40 00 | 350 00 |
| 6.6 | | 14 61 | 4.6 | | | 7 to 8 ft. trans. | 6 | 50 | 5 0 00 | 400 00 |
| 6.6 | | | 6.6 | | | 8 to 10 ft. trans. | | $\overline{0}$ | 75 00 | |
| b# | | 14 44 | 4.6 | | | 10 to 12 ft. trans. | 10 | | 85 0 0 | |
| 64 | | | 6.6 | | 13/4 to 2 in. | 12 to 14 ft. trans. | 12 | 50 | 100 00 | |
| 44 | | 66 68 | 6.6 | | $2\frac{1}{2}$ to $2\frac{3}{4}$ in. | 12 to 14 ft. trans. | 20 | 00 | 150 00 | |

^{**}When low-branched trees are wanted it should be especially mentioned and we will send prices for the trees in this form.

| | | | | | D. 10 | D 100 | D 1000 |
|--|---|--|--|--|---|---|----------------------------------|
| A | Phallag | Willess to | avad Oak | 1 fb booms | Per 10 | Per 100 | Per 1000 |
| Que | rcus Phellos, | Willow-le | aved Uak, | 4 ft. trans. | \$6 00 | \$ 50 0 0 | |
| | | - | | 6 to 8 ft, trans. | 1 00 | 07.00 | |
| | " Prinus, | Rock Ches | | 3 to 4 ft. trans. | 4 00 | 35 00 | |
| | | | | 4 to 5 ft. trans. | 6 00 | 50 00 | |
| | | | | 5 to 6 ft. trans. | 7 50 | | |
| | 66 66 | 66 | £ 6.6 | 6 to 7 ft. trans. | 8 50 | | |
| | | English Oa | .k, | 4 to 5 ft. trans. | 6 00 | | |
| | 66 16 | 4.6 | • | 7 to 9 ft. trans. | 7 50 | | |
| | " rubra, | Red Oak, | | 4 to 6 in. seed. | 35 | 2 50 | \$ 15 00 |
| | 4.6 | | | 4 to 5 ft. trans. | 6 00 | 5 0 00 | 400 00 |
| | ** | 44 44 | | 5 to 6 ft. trans. | 7.50 | 60 00 | |
| | 46 66 | 64 64 | | 6 to 7 ft, trans. | 8 00 | 65 0 0 | |
| | 66 66 | 6.6 6.6 | | 8 to 9 ft. trans. | 8 50 | 75 00 | |
| | 46 66 | 44 54 | | 10 to 12 ft. trans. | 10 00 | 90 00 | |
| | 875 W | | | | | | -1 47-5- |
| | year. | particularly | preased with o | our large and fine | Stock o | nea o | aks this |
| | - | | | 0. 101 | 0.7 | 0.70 | 17.00 |
| | tinctotia | ե Black Oa | ı k , | 8 to 12 in. seed. | 35 | 2 50 | 15 00 |
| | 66 46 | 46 66 | | 3 to 4 ft. trans. | 4 00 | | |
| | 66 66 | 66 68 | | 9 to 10 ft. trans. | 10 00 | | |
| Rob | inia hispida, F | Rose Acac | ia, | 12 to 18 in. trans. | 2 00 | | |
| 4 | 44 | 46 64 | on own roots, | 1½ to 2 ft. | 60 | 5 00 | |
| | " pseud-aca | acia, Yellow | Locust, | 1 to 2 ft. seed. | 25 | 50 | 3 00 |
| | 66 66 | 4.5 | 44 | 5 to 7 ft. | 1 50 | | |
| | " viscosa, | | | 2½ to 3 ft, trans. | 2 50 | | |
| | 66 66 | | | 4 to 6 ft. trans. | 3 50 | | |
| Sali | shuria adiant | ifolia. Cingl | ko, Maiden H | | 35 | 1 50 | 10 00 |
| - u | 1, 1 | , anna, | to, maraon n | 4 to 5 ft, trans. | 2 50 | 20 00 | 2000 |
| | 66 6 | 4 44 | | 5 to 6 ft, trans. | 3 00 | 25 00 | 200 00 |
| | | | | 6 to 7 ft, trans, | 4 00 | 30 00 | 200 00 |
| | 46 61 | 6 66 | | 7 to 9 ft, trans. | 5 00 | 40 00 | |
| | | - | _ | rgely planted. It | | ot appe | |
| | attacked other tro x aurea pendula | l by caterpill ees will grow a, Colden- k | ars and other i | orgely planted. It usects, and will the | 1 00 | ot appe cities wl | |
| 4.6 | attacked other tro x aurea pendula | l by caterpill ees will grow a, Golden-k | ars and other i | rgely planted. It | rive in | ot appe cities wl 8 00 15 00 | |
| 4.6 | attacked other tro x aurea pendula "" Babylonica, V | l by caterpill ees will grow a, Golden-k | ars and other i | orgely planted. It usects, and will the | 1 00 | ot appe cities wl | |
| 44 | attacked other tro x aurea pendula | l by caterpill ees will grow a, Golden-k | ars and other in a same of the control of the contr | nrgely planted. It nsects, and will the bing, 4 to 5 ft. 6 to 8 ft. trans. | 1 00 1 75 | ot appe cities wl 8 00 15 00 | |
| 4.6 | attacked other tro x aurea pendula "" Babylonica, V | l by caterpill ees will grow a, Golden-k | ars and other in oarked Weep Willow, | rigely planted. It nsects, and will the ling, 4 to 5 ft. 6 to 8 ft. trans. 2 to 3 ft. 2 year | 1 00 1 75 35 | 8 00 15 00 2 00 | |
| 44 | attacked other tro x aurea pendula " " Babylonica, V " Kilmarnock, | l by caterpill ees will grow a, Golden-k Veeping | ars and other i | rigely planted. It nsects, and will the ling, 4 to 5 ft. 6 to 8 ft. trans, 2 to 3 ft. 2 year 6 to 7 ft. 3 year | 1 00 1 75 35 50 | 8 00 15 00 2 00 | |
| 46 46 46 | attacked other tro x aurea pendula """ Babylonica, V | l by caterpill ees will grow a, Golden-k Veeping | ars and other i | ringely planted. It needs, and will the bing, 4 to 5 ft. 6 to 8 ft. trans. 2 to 3 ft. 2 year 6 to 7 ft. 3 year 1 year heads | 1 00 1 75 35 50 3 50 | 8 00 15 00 2 00 4 00 | nere few |
| 66 66 66 66 | attacked other tro x aurea pendula """ Babylonica, V "Kilmarnock, pentandra, La | I by caterpill ees will grow a, Golden-k Veeping " aurel-leave | ars and other i | ring, 4 to 5 ft. 6 to 8 ft. trans. 2 to 3 ft. 2 year 6 to 7 ft. 3 year 1 year heads 2 to 3 ft. 1 year | 1 00 1 75 35 50 3 50 35 | 8 00 15 00 2 00 4 00 | 10 00 |
| 44 44 44 44 44 | attacked other tro x aurea pendula " " Babylonica, V " Kilmarnock, pentandra, La | I by caterpill ees will grow A, Golden-k Veeping " aurel-leave | ars and other i | rigely planted. It nsects, and will the sing, 4 to 5 ft. 6 to 8 ft. trans. 2 to 3 ft. 2 year 6 to 7 ft. 3 year 1 year heads 2 to 3 ft. 1 year 3 to 4 ft. 2 year 4 to 5 ft. 3 year | 1 00 1 75 35 50 3 50 35 50 60 | 8 00 15 00 2 00 4 00 1 25 2 00 | 10 00 12 00 |
| 46 46 46 46 46 46 | attacked other tro x aurea pendula "Babylonica, W "Kilmarnock, pentandra, La | I by caterpill ees will grow a, Golden-k Veeping aurel-leave | ars and other i | rigely planted. It nsects, and will the sing, 4 to 5 ft. 6 to 8 ft. trans. 2 to 3 ft. 2 year 6 to 7 ft. 3 year 1 year heads 2 to 3 ft. 1 year 3 to 4 ft. 2 year 4 to 5 ft. 3 year clumps, 4 to 5 ft. tra | 1 00 1 75 35 50 3 50 35 50 60 | 8 00 15 00 2 00 4 00 1 25 2 00 4 00 | 10 00 12 00 |
| 46 46 46 46 46 46 46 | attacked other tro x aurea pendula Babylonica, W Kilmarnock, pentandra, La "" "" "" "" "" "" "" "" "" | I by caterpill ees will grow a, Golden-k Veeping aurel-leave | ars and other in the state of t | rigely planted. It nsects, and will the sing, 4 to 5 ft. 6 to 8 ft. trans. 2 to 3 ft. 2 year 6 to 7 ft. 3 year 1 year heads 2 to 3 ft. 1 year 3 to 4 ft. 2 year 4 to 5 ft. 3 year clumps, 4 to 5 ft. trans. | 1 00 1 75 35 50 3 50 3 50 60 ns. 1 25 | 8 00 15 00 2 00 4 00 1 25 2 00 4 00 1 00 | 10 00 12 00 |
| 44 44 46 45 46 46 | attacked other tro x aurea pendula Babylonica, W Kilmarnock, pentandra, La "" "" "" "" "" "" "" "" "" | I by caterpill ees will grow a, Golden-k Veeping " aurel-leave " " " " | willow, willow, bushyo bushyo tree fo | rigely planted. It insects, and will the sing, 4 to 5 ft. 6 to 8 ft. trans. 2 to 3 ft. 2 year 6 to 7 ft. 3 year 1 year heads 2 to 3 ft. 1 year 3 to 4 ft. 2 year 4 to 5 ft. 3 year clumps, 4 to 5 ft. trans. rm, 6 ft. trans. | 1 00 1 75 35 50 3 50 3 50 60 ns. 1 25 1 50 1 75 | 8 00 15 00 2 00 4 00 1 25 2 00 4 00 1 0 00 1 2 00 | 10 00 12 00 |
| 46 46 46 46 46 46 46 | attacked other tro | I by caterpill ees will grow a, Golden-k Veeping " aurel-leave " " " " | ars and other in the state of t | ringely planted. It insects, and will the bing, 4 to 5 ft. 6 to 8 ft. trans. 2 to 3 ft. 2 year 6 to 7 ft. 3 year 1 year heads 2 to 3 ft. 1 year 3 to 4 ft. 2 year 4 to 5 ft. 3 year clumps, 4 to 5 ft. trans. rm, 6 ft. trans. 3 to 3½ ft. 3 year | 1 00 1 75 35 50 3 50 3 50 60 60 ns. 1 25 1 50 1 75 1 50 | 8 00 15 00 2 00 4 00 1 25 2 00 4 00 1 00 | 10 00 12 00 |
| 46 46 46 46 46 46 46 46 46 | attacked other tro x aurea pendula Babylonica, V Kilmarnock, pentandra, La " " regalis (alba), Sieboldi, | I by caterpill ees will grow A, Golden-k Veeping " aurel-leave " " " " " " " " " " " " " " " " " " | willow, bushyo bushyo tree fo | rigely planted. It insects, and will the sing, 4 to 5 ft. 6 to 8 ft. trans. 2 to 3 ft. 2 year 6 to 7 ft. 3 year 1 year heads 2 to 3 ft. 1 year 3 to 4 ft. 2 year 4 to 5 ft. 3 year clumps, 4 to 5 ft. trans. 1 to 3½ ft. 3 year 2 to 3 ft. 2 year | 1 00 1 75 35 50 3 50 3 50 60 nns. 1 25 1 50 85 | 8 00 15 00 2 00 4 00 1 25 2 00 4 00 1 0 00 1 2 00 | 10 00 12 00 |
| 40 40 40 40 40 40 40 40 40 40 40 40 40 4 | attacked other tro x aurea pendula Babylonica, V Kilmarnock, pentandra, La " " regalis (alba), Sieboldi, | I by caterpill ees will grow A, Golden-k Veeping " aurel-leave " " " " " " " " " " " " " " " " " " | willow, bushy of tree fo | rigely planted. It insects, and will the sing, 4 to 5 ft. 6 to 8 ft. trans. 2 to 3 ft. 2 year 6 to 7 ft. 3 year 1 year heads 2 to 3 ft. 1 year 3 to 4 ft. 2 year 4 to 5 ft. 3 year clumps, 4 to 5 ft. trans. rm, 6 ft. trans. 3 to 3½ ft. 3 year 2 to 3 ft. 2 year 3 to 4 ft. 2 year | 1 00 1 75 35 50 3 50 60 ns. 1 25 1 50 85 1 75 | 8 00 15 00 2 00 4 00 1 25 2 00 4 00 1 0 00 1 2 00 | 10 00 12 00 |
| 45 45 45 46 46 46 46 46 46 46 46 | attacked other tro x aurea pendula Babylonica, W Kilmarnock, pentandra, La regalis (alba), Sieboldi, vitellina, Gol " | I by caterpill ees will grow A, Golden-k Veeping " aurel-leave " " " " " " " " " " " " " " " " " " | willow, willow, bushy tree fo bushy clump tree form, | rigely planted. It insects, and will the sects, and will the sects, and will the sects, and will the sects, and will the sects of the section | 1 00 1 75 35 50 3 50 60 ns. 1 25 1 50 1 75 1 50 85 1 75 1 50 | 8 00 15 00 2 00 4 00 1 25 2 00 4 00 10 00 12 00 | 10 00 12 00 |
| | attacked other tro x aurea pendula Babylonica, W Kilmarnock, pentandra, La regalis (alba), Sieboldi, vitellina, Gol " | I by caterpill ees will grow a, Golden-k Veeping " aurel-leave " " " " " " the barke mais, Red-ba | willow, willow, bushy tree fo bushy clump tree form, | rigely planted. It insects, and will the sects, and will the sects, and will the sects, and will the sects, and will the sects of the section | 1 00 1 75 35 50 3 50 3 50 60 ns. 1 25 1 50 1 75 1 50 85 1 75 1 50 35 | 8 00 15 00 2 00 4 00 1 25 2 00 4 00 1 20 1 20 1 20 2 00 | 10 00 12 00 |
| 44 45 45 45 44 44 44 44 45 44 44 45 44 44 | attacked other tro | I by caterpill ees will grow a, Golden-k Veeping " aurel-leave " " " " " " " " " " " " " " " " " " " | willow, willow, bushyo tree form, arked Willow, | rigely planted. It insects, and will the sects, and will the sects, and will the sects, and will the sects, and will the sects of the section | 1 00 1 75 35 50 3 50 60 ns. 1 25 1 50 1 75 1 50 85 1 75 1 50 | 8 00 15 00 2 00 4 00 1 25 2 00 4 00 10 00 12 00 | 10 00 12 00 |
| " " " " " " " " " " " " " " " " " " " | attacked other tro x aurea pendula Babylonica, V Kilmarnock, pentandra, La " regalis (alba), Sieboldi, vitellina, Gol " Britzer safras officin | I by caterpill ees will grow a, Golden-k Veeping " aurel-leave " " " " " " " " " " " " " " " " " " " | willow, "bushy of tree form, arked Weep Willow, "bushy of tree form, arked Willow, | rigely planted. It insects, and will the sects, and will the sects, and will the sects, and will the sects, and will the sects of the section | 1 00 1 75 35 50 60 nrs. 1 25 1 50 85 1 75 1 50 85 1 75 | 8 00 15 00 2 00 4 00 1 25 2 00 4 00 1 20 1 20 1 20 1 20 1 20 | 10 00 12 00 20 00 |
| " " " " " " " " " " " " " " " " " " " | attacked other tro | I by caterpill ees will grow a, Golden-k Veeping " aurel-leave " " " " " " " " " " " " " " " " " " " | willow, "bushy of tree form, arked Willow, "bushy of tree form, arked Willow, "arked Willow, "arked Willow, "arked Willow, | rigely planted. It insects, and will the sects, and will the sects, and will the sects, and will the sects, and will the sects of the section of the sects of the | 1 00 1 75 35 50 60 ns. 1 25 1 50 85 1 75 1 50 35 1 75 1 50 85 1 75 1 50 | 8 00 15 00 2 00 4 00 1 25 2 00 4 00 10 00 12 00 12 00 2 00 3 00 | 10 00 12 00 |
| sas Sop | attacked other tro x aurea pendula Babylonica, W Kilmarnock, pentandra, La "" regalis (alba), Sieboldi, vitellina, Gol "Britzen safras officin hora Japonica | I by caterpill ees will grow a, Golden-k Veeping " aurel-leave " " " " " " " " " " " " " " " " " " " | willow, "bushy of tree form, arked Willow, "bushy of tree form, arked Willow, "arked Willow, "arked Willow, "arked Willow, | rigely planted. It insects, and will the sects, and will the sects, and will the sects, and will the sects, and will the sects of the section | 1 00 1 75 35 50 60 nrs. 1 25 1 50 85 1 75 1 50 85 1 75 | 8 00 15 00 2 00 4 00 1 25 2 00 4 00 1 20 1 20 1 20 1 20 1 20 | 10 00 12 00 20 00 |
| Sas Sop | attacked other tro x aurea pendula Babylonica, W Kilmarnock, pentandra, La regalis (alba), Sieboldi, vitellina, Gol Britzer safras officin hora Japonica | I by caterpillees will grow a, Golden-k Veeping " aurel-leave " " " " White-lea den-barke usis, Red-ba ale,—see Lau a, " " " " " " " " " " " " " " " " " " | willow, "" "" "" "" "" "" "" "" "" "" "" "" " | ringely planted. It insects, and will the sects, and will the sects, and will the sects, and will the sects, and will the sects of the section of the sectio | 1 00 1 75 35 50 3 50 60 ns. 1 25 1 50 1 75 1 50 35 1 75 1 50 35 1 75 1 50 35 1 75 1 75 | 8 00 15 00 2 00 4 00 1 25 2 00 4 00 10 00 12 00 12 00 2 00 3 00 | 10 00 12 00 20 00 |
| Sas Sop | attacked other tro x aurea pendula Babylonica, V Kilmarnock, pentandra, La regalis (alba), Sieboldi, vitellina, Gol Britzet safras officin hora Japonica ous,—See Pyra Americana, | I by caterpill ees will grow a, Golden-k Veeping " aurel-leave " " " " " " " " " " " " " " " " " " " | willow, "bushyou tree form, arked Willow, "bushyou tree form, arked Willow, arked Willow, arked Willow | ringely planted. It insects, and will the sects, and will the sects, and will the sects, and will the sects, and will the sects of the section of the sectio | 1 00 1 75 35 50 3 50 3 50 3 50 60 nrs. 1 25 1 50 85 1 75 1 50 35 1 75 1 75 1 75 1 75 | 8 00 15 00 2 00 4 00 1 25 2 00 4 00 10 00 12 00 12 00 2 00 3 00 | 10 00 12 00 20 00 |
| sas Sop | attacked other tro x aurea pendula Babylonica, V Kilmarnock, pentandra, La regalis (alba), Sieboldi, vitellina, Gol Britzet safras officin hora Japonica ous,—See Pyra Americana, | I by caterpill ees will grow a, Golden-k Veeping " aurel-leave " " " " " " " " " " " " " " " " " " " | willow, bushyo bushyo tree form, arked Willow, bushyo tree form, arked Willow urus Sessafr | rigely planted. It insects, and will the sects, and will the sects, and will the sects, and will the sects, and will the sects of the s | 1 00 1 75 35 50 60 nrs. 1 25 1 50 85 1 75 1 50 85 1 75 1 75 1 75 1 75 1 75 1 75 | 8 00 15 00 2 00 4 00 1 25 2 00 4 00 10 00 12 00 12 00 2 00 3 00 15 00 | 10 00 12 00 20 00 |
| Sassop Sort | attacked other tro x aurea pendula Babylonica, V Kilmarnock, pentandra, La regalis (alba), Sieboldi, vitellina, Gol Britzet safras officin hora Japonica ous,—See Pyra Americana, | I by caterpill ees will grow a, Golden-k Veeping " aurel-leave " " " " " " " " " " " " " " " " " " " | willow, bushyo bushyo tree form, arked Willow, bushyo tree form, arked Willow urus Sessafr | rigely planted. It insects, and will the sects, and will the sects, and will the sects, and will the sects, and will the sects of the section of the sects of the | 1 00 1 75 35 50 60 nns, 1 25 1 50 85 1 75 1 50 1 75 1 75 1 75 1 75 1 75 1 75 1 75 1 75 | 8 00 15 00 2 00 4 00 1 25 2 00 4 00 10 00 12 00 12 00 2 00 15 00 15 00 | 10 00 12 00 20 00 |
| Sas Sop | attacked other tro x aurea pendula Babylonica, V Kilmarnock, pentandra, La regalis (alba), Sieboldi, vitellina, Gol Britzen safras officin hora Japonica ous,—See Pyra Americana, Europæa, Eu | I by caterpill ees will grow a, Golden-k Veeping " aurel-leave " " " " " " " " " " " " " " " " " " " | willow, bushy of tree form, arked Willow, bushy of tree form, arked Willow, urus Sassafr cican Linden | argely planted. It nsects, and will the sects, and will the sects, and will the sects, and will the sects, and will the sects of the se | 1 00 1 75 35 50 35 50 60 nns. 1 25 1 50 85 1 75 1 50 35 1 75 1 50 35 1 75 1 75 1 75 1 75 1 75 1 75 1 75 1 7 | 8 00 15 00 2 00 4 00 1 25 2 00 1 0 00 1 2 00 1 2 00 1 2 00 1 2 00 1 5 00 2 00 1 5 00 2 00 1 6 00 1 7 00 2 00 2 00 4 00 1 7 00 2 00 4 00 1 7 00 1 8 00 | 10 00 12 00 20 00 15 00 |
| Sassop Sort | attacked other tro x aurea pendula Babylonica, V Kilmarnock, pentandra, La regalis (alba), Sieboldi, vitellina, Gol Britzen Britzen Safras officine hora Japonica ous,—See Pyra Americana, Europæa, Eu | I by caterpill ees will grow a, Golden-k Veeping " aurel-leave " " " " " " " " " " " " " " " " " " " | willow, bushy of tree form, arked Willow, bushy of tree form, arked Willow, urus Sassafr cican Linden | rigely planted. It insects, and will the sects, and will the sects, and will the sects, and will the sects, and will the sects of the section of the sects of the | 1 00 1 75 35 50 3 50 3 50 60 ns. 1 25 1 50 85 1 75 1 50 35 1 75 1 50 35 1 75 1 75 1 75 1 75 1 75 1 75 1 75 1 7 | stappe cities w1 8 00 15 00 2 00 4 00 1 25 2 00 4 00 10 00 12 00 12 00 15 00 3 00 15 00 2 00 2 00 2 00 2 00 2 00 2 00 2 00 | 10 00 12 00 20 00 |
| Sas Sop | attacked other tro x aurea pendula Babylonica, V Kilmarnock, pentandra, La regalis (alba), Sieboldi, vitellina, Gol Britzen safras officin hora Japonica ous,—See Pyra Americana, Europæa, Eu platyphylla, E | I by caterpill ees will grow a, Golden-k Veeping " aurel-leave " " " " " " " " " " " " " " " " " " " | willow, "bushyou tree form, arked Willow, "bushyou tree form, arked Willow, arked Willow, arked Willow urus Sessafr cican Linden nden, leaved | argely planted. It nsects, and will the sects, and will the sects, and will the sects, and will the sects, and will the sects of the se | 1 00 1 75 35 50 35 50 60 nns. 1 25 1 50 85 1 75 1 50 35 1 75 1 50 35 1 75 1 75 1 75 1 75 1 75 1 75 1 75 1 7 | 8 00 15 00 2 00 4 00 1 25 2 00 1 0 00 1 2 00 1 2 00 1 2 00 1 2 00 1 5 00 2 00 1 5 00 2 00 1 6 00 1 7 00 2 00 2 00 4 00 1 7 00 2 00 4 00 1 7 00 1 8 00 | 10 00 12 00 20 00 15 00 |



AVENUE OF PIN OAKS IN FAIRMOUNT PARK, PHILADELPHIA, PLANTED IN 1876. THIS IS CONSIDERED ONE OF THE FINEST AVENUES IN THE PARK.

| Ulmu | s Americana, | American | Elm. | 12 to 18 in. seed. | Per 10 \$ 25 | Per 100 \$ 75 | Per 1000 \$3 50 |
|-------|----------------------|--------------|------|---------------------|-----------------|------------------|--------------------|
| | 46 | " | | 1 to 2 ft, seed. | 35 | 1 50 | 6 00 |
| 6.6 | 6.5 | 6.6 | 6.5 | 4 to 5 ft. trans. | 1 50 | 12 00 | 100 00 |
| 41 | 8 t | 4.6 | 6.6 | 6 to 7 ft. trans. | 1 75 | 15 00 | 125 00 |
| +6 | 6.6 | 4.6 | 4.6 | 7 to 8 ft. trans. | 2 00 | 18 00 | 150 00 |
| 6.6 | 4. | 4.6 | 4.6 | 9 to 10 ft. trans. | 3 00 | 25 00 | 200 00 |
| 66 | 4.5 | 6.6 | 6.6 | 10 to 12 ft. trans. | 3 50 | 30 00 | |
| 44 | Camperdown Weepin | ıg, | | 1 year head | 5 00 | | |
| 44 | Campestris, English | n · | 4.6 | 2 to 3 ft, trans. | 1 75 | 15 00 | |
| 6.6 | | | | 4 to 5 ft. trans. | 2 50 | 20 00 | |
| 4.6 | 44 | | 6.6 | 7 to 8 ft, trans. | 3 00 | | |
| 4.6 | Huntingdon, | | | 7 to 9 ft. trans. | 3 50 | | |
| 64 | purpurea, Purple-I | eaved | 6.6 | 7 to 9 ft. trans. | 3 50 | | |
| 6.6 | latifolia, Scotch | | 4.4 | 18 to 24 in, trans. | 1 00 | 8 00 | |
| 44 | racemosus, Cork | | 4.4 | 2 to 3 ft. trans. | 2 00 | 15 00 | |
| Zantl | hoxylon piperitum, F | Prickly Ash, | | 3 ft. trans. | 2 50 | | |

WEEPING TREES.

| | Per 10 | Per 100 | Per 1000 | | |
|---|---|--|---|--|--|
| 7 to 8 ft. trans. | \$ 3 50 | \$30 00 | | | |
| 10 to 12 ft. trans. | 6 00 | 50 00 | | | |
| , 12 ft. trans. | 15 00 | | | | |
| Betula, Young's Weeping Birch, 3 to 4 ft. | | | | | |
| erry, 6 ft. 1 yr. hds. | 5 00 | | | | |
| 2 yr. heads | 7 50 | | | | |
| 2 to 3 ft. trans. | 3 50 | 30 00 | | | |
| 4 to 5 ft. | 5 00 | | | | |
| 6 to 7 ft, trans. | 2 50 | | | | |
| 1 yr. head | 4 00 | | | | |
| 6 to 7 ft. trans. | 2 50 | | | | |
| 1 yr. heads | 3 50 | | | | |
| 1 yr. heads | 5 00 | | | | |
| | 10 to 12 tt. trans. , 12 ft. trans. 3 to 4 ft. brry, 6 ft. 1 yr. hds. 2 yr. heads 2 to 3 ft. trans. 4 to 5 ft. 6 to 7 ft. trans. 1 yr. head 6 to 7 ft. trans. 1 yr. heads | 7 to 8 ft. trans. \$3 50 10 to 12 ft. trans. 6 00 , 12 ft. trans. 15 00 3 to 4 ft. 5 00 2 yr. heads 7 50 2 to 3 ft. trans. 3 50 4 to 5 ft. 5 00 6 to 7 ft. trans. 2 50 1 yr. head 4 00 6 to 7 ft. trans. 2 50 1 yr. heads 3 50 | 7 to 8 ft. trans. \$3 50 \$30 00 10 to 12 tt. trans. 6 00 50 00 12 ft. trans. 15 00 3 to 4 ft. 5 00 40 00 2 yr. heads 7 50 2 to 3 ft. trans. 3 50 30 00 4 to 5 ft. 5 00 6 to 7 ft. trans. 2 50 1 yr. heads 4 00 6 to 7 ft. trans. 2 50 1 yr. heads 3 50 | | |

DECIDUOUS SHRUBS.

- "Trans." indicates that the plant has been once or more transplanted.
- "Seed." that it is still in seedling beds, not transplanted.
- "Cut." that it is a rooted cutting, not transplanted,

| | | | | | Per 10 | Per 100 | Per 1000 |
|------|--------------|------------------------------|------------|---------------------------|--------|-----------------|-----------------|
| Ame | anchieralni | ifolia na <mark>na, [</mark> |)wf. Juneb | erry, 12 to 18 in. trans. | \$1 50 | \$ 12 00 | |
| | " bots | ryapium, | | 12 to 18 in. trans. | 1 50 | | |
| | " Can | nadensis, | | 10 to 15 in. | 35 | 2 00 | \$ 15 00 |
| | " vuls | garis, | 4.6 | 12 to 18 in, trans. | 1 50 | 12 00 | |
| | " rotu | undifolia, | | 18 to 24 in. trans. | 1 75 | 15 00 | |
| | 4.6 | 44 | | 2 to 2½ ft. trans. | 2 50 | 20 00 | |
| Amo | pha canescer | ns, Indigo | Shrub. | 1 ft. trans. | 1 00 | 8 00 | |
| k n | | " | | 18 in. trans. | 1 25 | 10 00 | |
| 4+ | fruticos | a, | | 6 to 3 in. seed. | 35 | 1 00 | 7 00 |
| 6.6 | 4.6 | | | 2 to 3 ft. seed. | 50 | 3 00 | |
| 6.6 | 6.6 | | | 4 to 5 ft. trans. | 1 50 | 12 00 | 100 00 |
| 6.5 | 4.6 | | | 5 to 6 ft. trans. | 1.75 | 15 00 | |
| Amys | zdalus nana, | white, Flov | verin⊈ Aln | nond, 2 ft. trans. | 1 50 | | |
| - 9 | in 11 | pink. | " | · 2 ft, trans. | 1 50 | | |

| | | | Per 10 | Per 100 | Per 1000 |
|--------|----------------------------------|----------------------|----------------|---------|----------|
| Andro | meda ligustrina, | 2 to 21/2 ft. trans. | \$ 2 50 | \$20 00 | |
| 6.6 | Mariana, | 15 to 18 in. trans. | 1 50 | 12 00 | |
| 44 | 14 | 18 to 24 in, trans. | 2 00 | 15 00 | |
| 16 | nitida, | 18 to 24 in. trans. | 2 00 | 15 00 | |
| 66 | racemosa, | 1 ft. trans. | 1 75 | | |
| Aralia | Cashmerica, | 2 to 3 ft, trans. | 2 00 | | |
| ** | Japonica, | 2 ft. trans. | 2 00 | 15 00 | |
| 4.6 | Mandshurica, | 1 to 2 ft. trans. | 1 25 | 10 00 | |
| 4.6 | pentaphylla, | 6 to 8 in trans. | 1 00 | 8 00 | |
| 4.6 | 6.6 | 12 to 18 in. trans. | 1 50 | 10 00 | |
| 4.6 | 6.6 | 18 to 24 in. trans. | 2 00 | 18 00 | |
| 44 | 4.6 | 3 to 4 ft, trans. | 1 75 | 15 00 | |
| 44 | spinosa, | 2 to 3 ft. trans. | 1 25 | 10 00 | |
| 6.6 | 44 | 3 to 4 ft. trans. | 1 50 | | |
| Azale | a Mollis, red and yellow, | 1 ft. bushy | 3 00 | 25 00 | |
| 44 | 66 66 66 | 18 in. bushy | 4 00 | 35 00 | |
| 4.6 | 66 66 | 2 ft, bushy | 12 50 | | |
| 4.6 | Pontica, Ghent, assorted colors, | 1 to 1½ ft. | 4 00 | 35 00 | |
| 8.6 | | 2 to 2½ ft. heavy | 12 50 | | |

We direct particular attention to this offer of Azalea Ghent and Mollis These plants were selected by our representative in Europe last summer, and the plants are unequalled for the sizes offered. They are well set with flower buds and are good, heavy, bushy plants in every respect. As we imported a very large quantity we were able to secure them on very favorable terms. The prices we have quoted being much lower than we have ever before offered them.

| Baccha | ris halin | nifolia, | | 2 ft, trans. | 1 00 | 8 00 | |
|-----------|-----------|------------|-------------------------------|--------------------------------|------|-------|------------------------|
| 4.4 | | 6 | | $2\frac{1}{2}$ to 3 ft. trans. | 1 25 | 10 00 | |
| Berberi | s concinn | um, | | 2 ft. trans. | 1 50 | | |
| 44 | Thunbe | ergii, Jap | anese Barberry | v. 10 to 12 in. trans. | 1 00 | 10 00 | \$ 90 00 |
| 6.6 | 66 | | | 12 to 15 in. trans. | 1 25 | 12 50 | |
| 8.6 | vulgari | s, Green | Barberry, | 6 to 10 in. seed. | 25 | 1 00 | 7 00 |
| 4.6 | 4.6 | 6.6 | , | 1 to 2 ft. seed. | 35 | 1 50 | 10 00 |
| ** | 6.6 | 44 | 44 | 10 to 12 in. trans. | 60 | 5 00 | 40 00 |
| 14 | 4.6 | 4.6 | 44 | 12 to 18 in. trans. | 75 | 6 00 | |
| 44 | 6.6 | purpurea | . Purple-leaved | 1. 1 to 2 ft. seed. | 35 | 1 50 | 10 00 |
| 66 | 4.6 | - 44 | " | 1 ft. trans. | 85 | 7 00 | |
| 66 | 6.6 | 4.6 | 44 | 18 to 24 in, trans. | 1 00 | | |
| Buddlei | a variab | ilis, | | 5 ft. trans. | 2 00 | | |
| Callicar | | | | 2 ft. trans. | 1 25 | | |
| | | | veet Shrub. | 12 to 18 in. trans. | 75 | 6 00 | |
| " | | " | " | 1 to 2 ft. trans. | 85 | 7 00 | |
| Caraga | na arboi | escens, | Siberian Pea, | 2 to 21/4 ft. trans. | 1 75 | 10 00 | 80 00 |
| - 41 - 15 | | 64 | " " " | 2½ to 3 ft, trans. | 1 50 | 12 00 | 100 00 |
| Caryopt | teris Ma | stacanthu | s, <mark>''Blue Spiræa</mark> | " 18 to 24 in. trans. | 1 00 | 9 00 | 80 00 |

49 This is not a Spiræa, though it has been given this common name. It produces great masses of blue flowers, commencing in early September and continuing until the middle of October. It is one of the very few fall-blooming shrubs of merit. While it makes a good appearance planted **s a single shrub, it is particularly striking when set in beds or masses.

| Cassia Marila | andica, Wild | Senna, | | 12 to 18 in. seed. | | 50 | 3 | 00 |
|---------------|---------------|-------------|----------------|---------------------------|------|------------|----|----|
| 6.6 | 66 6 | 6 | | 4 to 5 ft. trans. | 1 | 25 | | |
| Ceanothus | Americanus, 🖡 | lew Jers | ey Tea | . 1 ft. trans. | 1 | 00 | 8 | 00 |
| 6.6 | 6.6 | 6.6 | | 12 to 18 in, trans. | 1 | 25 | 10 | 00 |
| 85 | 66 | 6.6 | " hea | vy, 2 ft. trans. | 1 | 75 | 15 | 00 |
| Cephalanth | us occidenta | lis, Dwf. E | 3 utton | bush, 6 to 10 in. see | d. | 35 | 2 | 00 |
| 6.6 | 4.6 | 6.6 | 4.0 | 2½ ft. trans. | 1 | 2 5 | 10 | 00 |
| 6.6 | . 44 | 4.6 | 66 | heavy, 4 to 41/2 ft, trai | s. 2 | 50 | 20 | 00 |

| | | | | | | 7) 10 | TD 100 | V) 1000 |
|--------|-----------|------------|---------|-------|---------------------------|-----------|---------|----------|
| | | | | | | Per 10 | Per 100 | Per 1000 |
| Cercis | Canadens | is, Red B | ud or J | udas | 18 to 24 in. trans | s. \$1 00 | \$ 8 00 | |
| 4.6 | 4.6 | 6 + | | b . | 2 to 2½ ft. tran | s. 1 50 | 12 00 | |
| 44 | 4.6 | 16 | | | 2½ to 3 ft. tran | s. 1 75 | 15 00 | |
| 4.6 | 4.6 | 6.6 | | 4.6 | heavy, 3 to 4 ft. trans. | 2 50 | 20 00 | |
| 4.6 | Japonica, | Japane | se Jud | as, | 12 to 18 in. trans | s. 1 00 | 8 00 | |
| Chion | anthus | Virginica, | White | Frin | ge, 3 to 4 in. seed. | 25 | 1 00 | \$ 8 00 |
| 6.6 | | 16 | 4.6 | 6.6 | 12 to 15 in. tran | s. 65 | 4 00 | 40 00 |
| 44 | | 4.6 | 4.6 | 6.6 | 12 to 18 in. tran | s. 75 | 6 00 | |
| 44 | | 6.6 | 4.6 | 6.6 | 2 to 2½ ft. tran | s. 1 59 | 12 00 | |
| 4.4 | | 4.6 | | 6.6 | 3 to 4 ft. trans. | 2 00 | | |
| 44 | | 6.6 | 4.6 | " spe | cimens, 4 to 5 ft. trans. | 10 00 | | |

The specimen plants are very heavy and bushy. They have been planted far apart in the nursery rows, and every care exercised to make fine selected and bushy specimens that will create an immediate effect when planted in permanent positions. For use in landscape work, where individual specimens are required, these plants will be found very effective.

| Clethr | a alnifolia, | Sweet F | epper Bu | | 1 25 | 10 00 | 80 00 |
|------------|---------------------|---|---------------|---|------------|---------------|--------|
| 0-1-4- | - 0.000.00000 | 0.70.0 | | 2 to 3 ft. trans. 8 to 12 in, seed. | 1 50 50 | 12 00 3 00 | 15 00 |
| Colute | a arboresco | ens, | | 3 to 4 ft. seed. | 1 25 | 3 00 | 15 00 |
| Camani | tamia senle | mifolia C. | NOOT FOUR | | 1 50 | 12 00 | |
| | orus Japon | | weet Fern | 2 ft. trans. | 1 00 | 12 00 | |
| Corchi | orus Japon | Doub | | 2 to 3 ft. trans. | 1 00 | | |
| 44 | 66 | varies | - / | 1 ft. trans. | 1 00 | | |
| 0 | - alba Da | | . , | | 25 | 1 25 | 10 00 |
| Cornus | 5 alba, Re (| a-twigg | ed Dogwo | 18 to 24 in. trans. | 85 | 7 00 | 60 00 |
| 46 | 44 44 | 4.6 | 66 | 2 ft, trans. | 1 00 | 9 00 | 00 00 |
| 66 | | | 44 | 18 to 24 in. trans. | 85 | 7 00 | |
| 44 | alternifoli | a, biue | 4.6 | 3 to 4 ft. trans. | 1 25 | 1 00 | |
| 46 | | | | 1 to 2 ft. trans. | 1 50 | 12 00 | |
| 66 | circinata, | | | 2 ft, trans. | 1 50 | 12 00 | |
| 46 | glabrata, | | | | | 1.50 | 10.00 |
| 44 | Mas, Cor | nelian (| cnerry, | 1 to 1½ ft. | 25 | 1 50 | 12 00 |
| 44 | | | | 18 to 24 in. trans. | 85 | 7 00 | 60 00 |
| 44 | 44 | 46 | | 2 ft. trans. | 90 | 8 00 | |
| | 44 | 44 | 44 | $2 \text{ to } 2\frac{1}{2} \text{ ft. trans.}$ | 1 00 | 9 00 | |
| | | | ** | $3\frac{1}{2}$ to 4 ft. trans. | 1 50 | 12 00 | |
| | paniculata | | _ | 18 to 24 in. trans. | 1 50 | 12 00 | 0.00 |
| " | | , Englisi | n Dogwood | | 25 | 1 00 | 8 00 |
| 4.6 | 6.6 | | 6.1 | bushy, 3 to 4 ft. trans. | 1 00 | 9 00 | 80 00 |
| 1.6 | 6.6 | 4.6 | 1.6 | heavy, 4 to 5 ft. trans. | 1 50 | 12 00 | |
| 4.6 | sericea, S | ilky | 4.6 | $3 \text{ to } 3\frac{1}{2} \text{ ft. trans.}$ | 1 25 | 10 00 | |
| 4.6 | 4.6 | 4.6 | 4.6 | heavy, 4 ft. trans. | 1 75 | | |
| | stolonifer | a lutea, Ye | ellow-barked, | | 75 | 5 00 | 42 00 |
| 6.6 | Spathii au | | | 2 to 3 ft. | 2 50 | 2 3 00 | |
| 4.6 | 4.6 | 6.6 | | 3 to 4 ft. | 3 50 | | |
| Corviu | s American | a, Amer | ican Haze | 6 to 12 in. seed. | 35 | 2 00 | 12 00 |
| | | 1. | " | 18 to 24 in. trans. | 1 25 | | |
| 6.6 | 66 | 4.6 | 4.6 | 2 to 2½ ft. | 1 50 | | |
| 4.6 | avellena, | Europea | an Hazel, | 2 to $2\frac{1}{2}$ ft. trans. | 1 00 | 8 00 | |
| 4.6 | 6.6 | -410,70 | " | 3 ft. trans. | 1 25 | 10 00 | |
| 6.6 | purpurea. | Purple | -leaved, | 2 to $2\frac{1}{2}$ ft. trans. | 2 00 | 18 00 | |
| 6.6 | | Named | | 5 to 7 ft. trans. | 1 75 | 15 00 | |
| O = 0 + 00 | | • | e Thorn, | 2 to 2½ ft. trans. | 1 25 | 10 00 | |
| Gratæ | gus coccii | ica, w riit | e inom, | 2½ to 3 ft, trans. | 1 50 | 12 00 | |
| 4. | 4.6 | 4.6 | 6.6 | 3 to 4 ft. trans. | 2 50 | 15 00 | 100 00 |
| 4. | 44 | 6.6 | 4.6 | 4 to 5 ft. trans. | 3 50 | 30 00 | |
| | 44 | | 6.6 | 5 to 6 ft. trans. | 4 00 | | |
| 46 | | | | | 3 00 | 25 00 | |
| " | cordata, V | wasning | gton Thor | 3 to 4 ft. trans. | 4 00 | 35 00 | |
| 66 | 6.6 | 44 | 4.6 | 4 to 5 ft. trans. | 5 00 | 00 00 | |
| | •• | • | | Tioon, mans, | 0 00 | | |

| Cratae | us crus-galli, | Cockspu | r Thorn. | 12 to 18 in. seed. | Per 10 \$ 60 | Per 100 \$4 00 | Per 1000 |
|--------|----------------|-----------|------------|--------------------------------|-----------------|-------------------|----------|
| | 44 | - Comppu | | 12 to 18 in, trans, | 1 00 | 8 00 | \$70 00 |
| 6.6 | 4.6 | 6.6 | 64 | 2 to 21/2 ft, trans. | 1 25 | 10 00 | 90 00 |
| 4.5 | 6.6 | 6.6 | 6.6 | 2½ to 3 ft. trans. | 1 50 | 12 00 | 100 00 |
| 6.6 | 4.6 | 6.6 | " heav | y, 3 to 4 ft. trans. | 2 50 | 20 00 | |
| 6.6 | 6.6 | 6.6 | extra heav | y, 4 to 5 ft. trans. | 3 00 | 25 00 | |
| 6.6 | 6.6 | 6.6 | extra heav | y, 5 to 6 ft. trans. | 4 00 | 35 0 0 | |
| 54 | oxycantha, E | nglish Ha | wthorn, | 18 to 24 in. trans. | 85 | 7 00 | 60 00 |
| 4.6 | 4.6 | - 66 | 4.6 | 2 to $2\frac{1}{2}$ ft. trans. | 1 00 | 8 00 | |
| 4.6 | 6.4 | 6.6 | 4.6 | 2 to 3 ft. trans. | 1 25 | 10 00 | 80 00 |
| 6.6 | 6.4 | 4.4 | 4.6 | 3 to 4 ft. trans. | 1 50 | 12 0 0 | |
| 6.5 | Double White | ÷, | | 3 to 4 ft, trans. | 3 50 | | |
| 4.6 | " Pink, | | | 3 to 4 ft, trans. | 3 50 | | |
| 4.6 | " Paul's | Scarlet, | | 3 to 4 ft. trans. | 3 50 | | |

PTIt is not generally known that the Cockspur Thorn makes an excellent and impenetrable hedge, on account of its long, sharp thorns. It transplants easily, is perfectly hardy everywhere, and will stand shearing.

| Cydonia | -See Pyrus | | | | | | | |
|----------|-----------------------|---------------------|---|---|----|----|----|--------|
| Cytissus | Laburnum, | Laburnum, | 1 to 2 ft. | | 35 | 2 | 00 | 12 00 |
| | 6.6 | 14 | 3 to 31/2 ft. trans. | 1 | 00 | 8 | 00 | |
| 6.6 | 6.6 | 6.6 | 4 to 5 ft. trans. | 1 | 25 | 10 | 00 | |
| Daphne | Mezereon, | White, | 12 to 18 in. trans. | 1 | 50 | 12 | 00 | |
| Deutzia | candida plen | a, Double White, | 18 to 24 in. trans. | | 85 | 7 | 00 | |
| 5.6 | candidissima | ı, White, | 10 to 15 in. | | 25 | 1 | 75 | 12 00 |
| 6.6 | 4.4 | 4.4 | 18 to 24 in, trans. | | 85 | 7 | 00 | |
| 4.6 | 4.6 | 4.6 | $2\frac{1}{2}$ to 3 ft. trans. | 1 | 00 | 8 | 00 | |
| 4.6 | 4.6 | 4.4 | 4 ft. trans. | 1 | 25 | | | |
| 4.6 | crenata, Wh | ite, | heavy, 4 ft. trans. | 1 | 25 | 10 | 00 | |
| 4.6 | " Dou | ble White, | 2 to $2\frac{1}{2}$ ft. trans. | 1 | 00 | 8 | 00 | |
| 41 | 6.6 | 4.6 | 3 to 4 ft. trans. | 1 | 25 | 10 | 00 | |
| 4.6 | " Dou | ble Pink, | 10 to 15 in. | | 25 | 1 | 75 | 12 00 |
| 4.6 | 6.6 | 6.6 | 18 to 24 in. trans. | | 85 | 7 | 00 | |
| 8.4 | 6.6 | 4.4 | $2\frac{1}{2}$ to 3 ft. trans. | | 00 | | | |
| 6.6 | 6.6 | 44 | heavy, 4 ft. trans. | 1 | 25 | | | |
| 64 | Fortuni, W | hite, | 2 ft. trans | | 85 | 7 | 00 | |
| 4.6 | 6.6 | | heavy, 3 to $3\frac{1}{2}$ ft. trans. | 1 | 25 | 10 | 00 | |
| 6.6 | gracilis, Wl | nite, | 10 to 12 in. trans. | | 75 | 5 | 00 | |
| 4.4 | 6.6 | | 15 to 18 in, trans. | | 90 | 8 | 00 | |
| 6.6 | Lemoinei, V | White, | 8 to 15 in. | | 25 | 1 | 75 | 12 00 |
| 6.6 | 4.6 | | 1 ft. trans. | 1 | 00 | 8 | 00 | |
| 8.5 | 6.6 | 41 | 18 to 24 in. trans. | 1 | 50 | 12 | 00 | |
| 66 | | chester, Double Pin | k, 18 in. trans. | | 85 | | | |
| 4.6 | 6.6 | 66 66 61 | $2 \text{ to } 2\frac{1}{2} \text{ ft. trans.}$ | 1 | 25 | 10 | 00 | |
| 4.5 | scabra, Sing | gle White, | 2 ft. trans. | | 85 | | | |
| 6.6 | 6.6 | | $3\frac{1}{2}$ to 4 ft. trans. | 1 | 25 | 10 | 00 | |
| 8.5 | Sieboldi, W | hite, | 2⅓ ft. trans. | 1 | 25 | | | |
| £ £ | Wateri, Sin | gle White, heavy, | 3 to 4 ft. trans. | 1 | 25 | 10 | 00 | |
| 5.5 | Wellsii, | | 2 to $2\frac{1}{2}$ ft. trans. | 1 | 00 | 8 | 00 | |
| Eleagnu | 15 angustifoli | a (true), | 12 to 18 in. trans. | 1 | 00 | 8 | 00 | |
| 6.6 | 4.6 | 44 | $2 \text{ to } 2\frac{1}{2} \text{ ft. trans.}$ | 1 | 25 | | | |
| 6.6 | longipes, | | 1 ft. trans. | 1 | 00 | | | |
| F E | parvifolius | Silver Thorn, | heavy, 5 to 6 ft. trans. | 1 | 50 | 12 | 00 | 100 00 |

*The Eleagnus parvifolius is one of the few really good and useful shrubs that have been slighted by planters. It is of strong habit, rather dense growth, and is quite hardy. The foliage on the upper surface is of light-green color, but on the underside it is silvery. It produces enormous quantities of red berries speckled with silver. It makes an excellent hedge plant.

| Euo | nvmu | s Americani | ıs. Am. Rı | urnin | ~ D | sh, 6 to 10 in. | Per 10 | Per 100 | Per 1000 |
|------|--------|---------------------|-------------|---------|------------|------------------------|--------|---------|----------|
| | | " | ~~, A(() D) | ui mini | g Du: | | \$ 25 | \$ 2 00 | \$16 00 |
| | 65 | Dunas | | | •• | 18 in. trans | 25 | 10 00 | |
| | | Bungeanus. | | | | 4 to 5 1t. | 2 00 | | |
| | 6.6 | Europæus, | Europea | n " | 6.6 | 5 to 6 in. seed. | 25 | 1 00 | 8.00 |
| | 6.6 | 6.6 | | 4.4 | 6.6 | 12 to 18 in. seed. | 35 | 1 50 | 0 00 |
| | 6.6 | 6.6 | 4.4 | 4.6 | 6.6 | 2 to 3 ft. trans. | 85 | 7 00 | |
| | 6.6 | 66 | 6.6 | 6.6 | 6.6 | 3 to 4 ft, trans. | 1 25 | 10 00 | |
| Exoc | chord | a grandiflor | Pearl E | Bush. | | 18 to 24 in. trans. | 1 25 | 10 00 | |
| Fors | ythea | Fortuni, | | | | 2 ft. tr ns. | 85 | 7 00 | |
| | 4.6 | 6.6 | | | | 2 to 2½ ft. trans. | 90 | 8 00 | |
| | 6.6 | suspensa, | | | | 2 to 21/2 ft. trans. | 90 | 8 00 | |
| | 4.6 | viridissima, | Colden | Bell. | | 1 to 2 ft. | 25 | 1 75 | 12 00 |
| | 6.6 | 4.6 | variegata, | , | | 2 to 3 ft. trans. | 1 00 | | |
| Hale | sia di | | | | | 8 to 12 in, seed. | 35 | 2 00 | |
| 4.6 | tet | raptera, Silv | ver Bell. | | | 4 to 5 ft, trans. | 1 25 | 10 00 | |
| 6.4 | | 44 46 | | | heav | y, 5 to 6 ft. trans. | 1 50 | 12 00 | 100 00 |
| 46 | | 6.6 6.6 | 4.6 | | 64 | 6 to 8 ft. trans. | 1 75 | 15 00 | 100 00 |

The Halesia tetraptera is one of the best of large-growing shrubs, attaining a height when fully matured of perhaps 20 feet. Its great profusion of creamy white flowers in early spring, while striking are not out of place where natural plantings are needed.

| Haman | nelis Virgi | nica, Wych-ha | azel, 12 to 15 in. trans. | 1 | 25 | 10 | 00 | |
|------------|-------------------|------------------|--------------------------------|----|------|----|----|--------------|
| 64 | 6.6 | 44 | " 18 to 24 in. trans. | 1 | . 50 | | | |
| Hibiscu | s, Double I | Red, Althæa, | 2 to $2\frac{1}{2}$ ft, trans. | 1 | . 00 | 8 | 00 | |
| 6 6 | | ilac, | 2 ft. trans. | 1 | 00 | 8 | 00 | |
| 6.6 | " V | Vhite, | 2½ to 3 ft. trans. | 1 | 00 | 8 | 00 | |
| 4.6 | Single P | ink, | 18 to 24 in. trans. | 1 | 00 | | | , |
| 6.6 | variegata | , Variegated-lea | ved Althæa, 1 ft. trans. | 1 | 00 | 8 | 00 | |
| 8.6 | | us, Single White | | 1 | 25 | 10 | 00 | |
| HagaaiH | | noides, Sea Bu | | | 25 | | | |
| | gea arbore | | 2 ft. trans. | | 25 | | | |
| 4. | , | | heavy, 2½ to 3 ft. trans. | | 50 | 12 | 00 | |
| 6.1 | Otaksa, | | 18 in. bushy, trans. | | 00 | | | |
| 4.6 | panicul | ata, single, | 3 to 4 ft. trans. | | 50 | 12 | 00 | |
| 4 i | - 44 | grandiflora, | 12 to 18 in, trans. | | 75 | 6 | 00 | |
| 6.4 | 6.6 | 44 | 18 to 24 in, trans. | | 85 | | 00 | |
| 6.6 | 6.6 | 4.4 | 2 to 21/2 ft. trans. | 1 | 00 | | 00 | 80 00 |
| 6.6 | 6.6 | 4.6 | 3 to 3½ ft. trans. | | 75 | | 00 | |
| 6.6 | radiata | 6.6 | 2 to 2½ ft. trans. | | 25 | 10 | | |
| 4.6 | Thos. I | , | 18 in. bushy, trans. | | 00 | | | |
| Hyperic | um aureun | | 18 to 24 in. trans. | | 00 | 9 | 00 | |
| 113 601101 | | rianum, Strong, | | | 00 | | 00 | |
| 6.6 | prolifi | , 0, | 3 to 4 ft, trans. | | 50 | 12 | | |
| | - | | o to a rei trans, | _ | 00 | | 00 | |
| | a,—See Pri | | | | | | | |
| Laurus | Benzoin, S | Spice-bush, | 18 in. trans. | | 85 | | | |
| 6.6 | 6.6 | 44 | specimens, 5 ft. trans. | 10 | 00 | | | |
| | | | | | | | | |

The 5-feet specimen plants are large, heavy shrubs. They were transplanted three years ago and given ample room to develop. These specimen shrubs will be found most useful where an individual plant is required to create an immediate effect, and scarcely any shrub can be used for as many purposes as the Spice Bush.

| Ligustrum | Ibota (True) |) | | 18 to 24 in. trans. | 75 | 6 00 | |
|-----------|--------------|------------|---------|--------------------------------|------|------|-------|
| | 66 66 | | | 2 to $2\frac{1}{2}$ ft. trans. | 1 00 | 9 00 | 80 00 |
| 6.6 | ovalifolium, | California | Privet, | 1 to 2 ft. cut. | 35 | 2 00 | 15 00 |
| 6.6 | 4.6 | 6.6 | 6.6 | 2 to 21/2 ft. trans. | 50 | 3 00 | 20 00 |
| 4.5 | 6.6 | 6.6 | 6.6 | 2½ to 3 ft. trans. | 75 | 5 00 | 40 00 |
| 6.5 | 6 6 | 4.6 | 6.6 | 3 to 4 ft. trans. | 1 00 | 7 00 | 60 00 |
| 6.5 | Regelianum | . 66 | 4.6 | 12 to 15 in . trans. | 75 | 6 00 | |
| 6.6 | vulgare, Con | nmon Priv | et, | 18 to 24 in. cut. | 50 | 3 00 | 20 00 |
| 6.5 | 66 | 44 | 14 | 18 to 24 in trans | 1.90 | | |

CALIFORNIA PRIVET (Ligustrum ovalifolium).

FOR PRICES, SEE BOTTOM OF PAGE 17.

We call particular attention to our large blocks of California Privet, probably none larger in the United States, as we make a specialty of this plant. Our 1 to 2 ft. one year plants will have one and two stems per plant. The 2 to $2\frac{1}{2}$ ft. stock will have three to five stems per plant, and are all well rooted. The $2\frac{1}{2}$ to 3 ft. plants are still bushier and more heavily rooted. Of the 3 to 4 ft. grade we have only a limited supply.

Where the California Privet is not hardy we recommend Ibota, of which we also have a large stock. Nurserymen buy California Privet from us very heavily, and we guarantee our plants to be exactly as represented.

| | Per I | 0 Per 100 | Per 1000 |
|--|-------------|-----------|-----------------|
| Lonicera fragrantissima, Bush Honeysuckle 18 to 24 in | trans. \$ 8 | 5 87 00 | |
| " tartarica alba, White-berried 1 to 11/2 ft. | 3 | 5 1 50 | \$12 0 0 |
| " 18 to 24 in. t | rans. 9 | 0 8 00 | |
| " red-berried, 1 to 1½ ft. | 3 | 5 1 50 | 12 00 |
| " " 2½ ft. tran | s. 1 0 | 0 9 00 | |
| " yellow-berried, 1 to 2 ft. tr | ans. 10 | 0 9 00 | |
| " grandiflora, Pink-flw'rd, 1 to 11/2 ft. | 3 | 5 1 50 | 12 00 |
| " 18 to 24 in. t | rans. 9 | 0 8 00 | |
| " 2 to 2½ ft. 1 | trans. 1 2 | 5 | |
| 3 ft. trans. | 1 5 | 0 | |
| Myrica cerifera, Wax Myrtle, 18 to 24 in. t | rans. 15 | 0 12 00 | |
| " " 2 to 3 ft. tr | ans. 2 0 | 18 00 | |
| Paliurus aculeatus, grandiflora, Pink-flw'rd, 8 to 15 in. s | eed. 15 | 0 10 00 | |
| Philadelphus aureus, Golden-leaved, 1 ft. trans. | | 0 8 00 | |
| " grandiflorus, Mock Orange, 10 to 15 in. | 3 | 5 2 00 | 15 00 |
| " Lemoinei, 10 to 15 in. | 3 | | 15 00 |
| 2 ft. trans. | 1 0 | | |
| " nanus, Dwarf, 18 in. bushy | | | |
| " speciossissima, 10 to 15 in. | 3 | | 18 00 |
| Potentilla fruticosa, Shrubby Cinquefoil, 12 to 18 in. t. | | | 10 00 |
| Prinos glaber, Ink-berry. 18 to 24 in. | 3 0 | | |
| " verticillata, 2 ft. trans. | 1 5 | | |
| Prunus Americanus, Beach Plum, 18 to 24 in. s | | | |
| " Pissardi, Purple-leaved Plum, 3 to 3½ ft. | 1 5 | | |
| Pyrus arbutifolia, Choke-berry, bushy, 18 to 24 in. t | | | |
| " 2 to 2½ ft. | | | |
| " " 3 ft. trans. | 2 0 | | |
| " melanocarpa, Red Choke-berry, 2 to 2½ ft. | | | |
| " Japonica Red, (Cydonia) Fire-bush, 8 to 15 in, | 3 | | \$10 00 |
| " " " " " " 1½ to 2 ft. | | | £10 00 |
| Rhamnus Caroliniana, Carolina Buckthorn, 6 to 7 ft. | | | |
| " catharticus, Common Buckthorn, 1 to 2 ft. se | eed. 2 | | 7 00 |
| " 4 to 5 ft. tr | ans. 12 | | , 00 |
| " frangula, 2½ to 3 ft. | | | |
| Rhodotypus kerrioides, 8 to 12 in. s | | | 8 00 |
| " 12 to 18 in. s | | | 10 00 |
| " 18 to 24 in, s | | | 15 00 |
| heavy, 3 to 4 ft. tr | | | 90 00 |
| extra heavy, 4 ft, trans. | 1 7 | | 00 00 |
| Rhus copallina, Shining Sumach, 18 to 24 in. to | | | |
| " " heavy, 3 to 4 ft. tra | | | |
| " cotinus, Mist or Smoke Tree, 1 to 1½ ft. t | | | 10 00 |
| " " 18 to 24 in, tr | | | 20 00 |
| " 2 to 2½ ft. t | | | |
| " " 2½ to 3 ft. t | | | |
| " " 3 to 3½ ft, t | | | |
| " " heavy, 5 to 6 ft, tra | | | |
| neavy, o to the tre | | | |
| " glabra, Smooth Sumach, 12 to 18 in. to to 18 in | | | |
| 12 to 16 II. to | | | |
| " typhina, Stag's Horn, 4 to 5 ft. tra | ·110, 12 | , 000 | |

| Ribes | aureum, Fl | owering | Currant | ., | 1½ to 2 ft. | Per 10 \$ 25 | Per 100 \$1 50 | Per 1000 \$12 00 |
|-------|--------------|-----------|----------|-------|------------------------|-----------------|-------------------|---------------------|
| 6.6 | . 64 | 4.6 | 4.6 | | 18 to 24 in. trans. | 1 00 | 8 00 | |
| 46 | 6.6 | 6.6 | 6.6 | | 2 to 3 ft. trans. | 1 25 | | |
| 66 | Cynosbati, | | | bushy | 7, 12 to 18 in. trans. | 1 50 | | |
| ** | floridum, M | issouri E | 3lack, | | 3 ft. trans. | 1 25 | 10 00 | |
| 44 | 6.6 | 4.6 | " he | avy, | 4 to 5 ft. trans. | 1 50 | | |
| 64 | sanguineum | Pink-flo | owering, | | 1½ to 2 ft. | 35 | 2 50 | |
| Rosa | blanda, | | 0, | | 12 to 18 in. trans. | 85 | 7 00 | |
| 4.4 | 4.6 | | | | 18 to 24 in. trans. | 90 | 8 00 | |
| 66 | 4.6 | | | | 2 to 2½ ft. trans. | 1 00 | 9 00 | |
| 6.6 | Carolina, | | | | 3 ft. trans. | 1 25 | 10 00 | |
| 6.6 | Crimson Ran | nbler, | | | 3 to 4 ft. trans. | 1 50 | 12 00 | |
| 4.4 | lucida alba, | | | | 1 ft. trans, bushy | 2 50 | 20 00 | |

The Rosa lucida alba is a new and rare plant and will be found very useful and desirable by landscape engineers and superintendents of cemeteries. It has the same habit of growth as the lucida, and can be used in similar positions. We guarantee our stock true to name and first-class in every particular.

| 6.6 | multiflor | a Japonica | 1 | | 2 to 21/4 ft. trans. | (| 90 | 8 | 00 | 7 | 0.00 |
|-----|-----------|-------------------|--------|--------|--------------------------|-----|----|----|----|---|------|
| 6.6 | 6.6 | - 66 | | | 3 ft. trans. | 1 (| 00 | 9 | 00 | | |
| 4.6 | rugosa | Red, Ja | panes | e Rose | 6 to 10 in. seed. | | 35 | 2 | 00 | 1 | 2 00 |
| 6.6 | -" | | * ** | 4.6 | 2 to 3 ft., 2 yr. seed. | 4 | 10 | 3 | 00 | 1 | 5 00 |
| 4.6 | 44 | 4.6 | 4.6 | 6.6 | 18 to 24 in. trans. | 1 (| 00 | 8 | 00 | 7 | 0 00 |
| 6.6 | 4.6 | White, | 6.6 | 4.6 | 2 to 2½ ft. | 1 2 | 25 | 10 | 00 | | |
| 6.6 | setigera, | Prairie i | Rose, | | 12 to 18 in. seed. | 2 | 25 | 1 | 75 | 1 | 2 00 |
| 6.6 | 6.6 | 4.6 | | | 2 to 2½ ft. trans. | 1 (| 00 | 8 | 00 | | 0 00 |
| 4.4 | 6.6 | 64 | 6.6 | | 3 ft. trans. | 1 2 | 25 | 10 | €0 | 9 | 00 0 |
| 6.6 | 8.8 | 6.6 | 4.6 | | heavy, 4 to 5 ft. trans. | 1 3 | 75 | 15 | 00 | | |
| 6.6 | Wichuar | iana, Me r | norial | Rose. | 2 to 3 ft, trans. | 1 (| 00 | 8 | 00 | | |

OUT-OF-DOOR POT-GROWN ROSES.

| Ro | se. | Evergreen Gem, White (Hy | brid Wichuraia | na), from 4 in. pots | 2 | 50 | | |
|-----|-----|------------------------------|-----------------|--------------------------------|---|----|-------|-------|
| | ü, | Jersey Beauty, White (Hybr | | | 2 | 50 | | |
| | 4.6 | Pink Roamer (Hybrid Wich | uraiana), | from 5 in. pots | 2 | 50 | | |
| | 6.6 | Prairie Queen, Pink, Climb | | from 5 in. pots | 2 | 50 | | |
| | 6.6 | Universal Favorite, White (1 | *** | iana), from 5 in, pots | 2 | 50 | | |
| Ru | bus | odoratus, Flowering Ra | - | ,, | | 50 | | |
| | | ucus aureus. Colden-lea | • | 3 to 4 ft, trans. | 1 | 25 | 10 00 | |
| oa | | | Iderberry, | 2½ to 3 ft. | • | 75 | 6 00 | 50 00 |
| | 6 | 6 16 | ider berry, | 3 to 4 ft. | 1 | 00 | 8 00 | 00 00 |
| | 4 | ' nigra, European | 6.6 | 3 to 31/2 ft. trans. | _ | 00 | 8 00 | |
| | | " " " " " | " heavy | 4 to 5 ft. trans. | | 50 | 12 00 | |
| | 4 | " laciniatus, Cu | • , | 2 to 3 ft. trans. | | 25 | 10 00 | |
| en: | | a Anthony Waterer, Pink, | it-loavou, | 2 ft. trans. | | 75 | 15 00 | |
| Sh | iræ | arguta, White, | | 12 to 15 in, trans. | | 00 | \$ 00 | |
| | 4.6 | arguta, white, | hoowy | 2 to 2½ ft, trans. | | 25 | 10 00 | |
| | 66 | Billardi, Pink, | Heavy, | 2 to 2½ ft. trans. | | 00 | 8 00 | |
| | 41 | | | 18 to 24 in. trans. | - | 00 | 9 00 | S0 00 |
| | 66 | Dido (Carjoptorio); | | 2 to 3 ft. trans. | _ | 00 | 9 00 | 30 00 |
| | 46 | Bumalda, Pink, | | | 1 | 85 | 7 00 | |
| | 66 | callosa, Pink, | , | 18 in. trans. | | - | 7 00 | |
| | 46 | aroa, white, | ı_ | 8 in, trans. | , | 85 | | |
| | 44 | " superba, Light-pinl | κ, | 2 to 2½ ft. trans. | | 00 | 8 (0 | |
| | | carpinæfolia, White, | | 2 to $2\frac{1}{2}$ ft. trans. | | 00 | 8 00 | |
| | 6.6 | | hea vy , | 4 to 5 ft, trans. | | 25 | 10 00 | |
| | 44 | Douglassi rosea, Pink, | | 1 to 2 ft. trans. | 1 | 00 | 8 00 | |
| | 66 | opulifolia, White, | | 2 to $2\frac{1}{2}$ ft. trans. | | 85 | 7 90 | |
| | 44 | | hea vy , | 5 to 6 ft. trans. | 1 | 50 | | |
| | 4.6 | " aurea, | | 10 to 18 in. | | 35 | 2 00 | 16 00 |
| | " | " Golden-lea | aved, | 2 to $2\frac{1}{2}$ ft. trans. | 1 | 00 | 8 00 | |
| | | | | | | | | |



NOTE OUR IMMENSE STOCK AND LOW PRICES ON ROSA RUGOSA, PAGE 19

| Spiræa | Reevesii, | Single Whit | e, | | 8 to 15 in. | Per 10 \$ 35 | Per 100 \$1 75 | Per 1960 \$15 00 |
|-------------|------------|---------------|------------------|-----------|--|-----------------|-------------------|---------------------|
| | 16 | 11 41 | | | 2 ft. trans. | 85 | 7 00 | |
| 46 | 66 | 46 46 | | 1 | 2½ ft. trans. | 1 00 | | |
| | 4.6 | Double W | hito | heavy, | | 1 50 | | |
| 4.6 | 6.6 | Double W | | | 8 to 15 in. | 35 | 1 75 | 15 00 |
| 66 | 66 | 4.6 | 44 | 1 | 18 in, trans. | 85 | | |
| 6.6 | Rogolian | a Doen nin | le. | neavy, | 3 to 4 ft. trans. | 1 50 | | |
| 66 | | a, Deep-pin | α, | | 4 to 5 ft, trans. | 1 (0 | 8 00 | |
| 44 | | a, White, | | 1 | 4 to 5 ft, trans. | 1 00 | 8 00 | |
| 11 | Sorbifolia | | | heavy, | | 1 25 | 10 00 | |
| 66 | Inunber, | gii, White, | | | 1 ft. trans. | 85 | 7 00 | |
| | | | | | 2 to 2½ ft. trans. | 1 25 | 10 00 | |
| " | tomentos | | | | 18 in. trans. | 85 | 7 00 | |
| | van Hou | ittei, White, | | | 8 to 15 in. | 35 | 2 00 | 18 00 |
| 44 | | | | | 2 ft. trans. | 90 | 8 00 | |
| 4.6 | 44 | 4.6 | | | $2\frac{1}{2}$ to 3 ft. trans. | 1 25 | 11 00 | |
| 4.6 | 4.6 | 4.6 | | | 3 to 4 ft. trans. | 1 50 | 12 00 | |
| Staphy | lea Buma | ılda, | | | 3 ft. | 1 50 | | |
| 14 | colchi | | | | 6 to 10 in, trans. | 1 25 | 10 00 | |
| 6.6 | 4.6 | | | heavy, | 4 to 5 ft. trans. | 2 00 | | |
| | trifoli | ata, | | | 3 to 4 ft. trans. | 1 25 | | |
| 4.6 | 6.6 | | | | 4 to 5 ft. | 1 50 | 12 00 | |
| Stepha | nandra | flexuosa, | | | 1 ft. trans. | 90 | 8 00 | |
| 0.00 | 66 | 6.6 | | | 2 to 21/2 ft. trans. | 1 25 | | |
| Symph | oricarpo | s racemosu | s. White | Snowk | perry, 1 to 2 ft. | 35 | 1 50 | 12 00 |
| O y i i i j | " | " | " | " | 2 to 3 ft. trans. | 1 25 | 10 00 | 12 00 |
| | 6.6 | 6.6 | 6.6 | 6.6 | 3 to 4 ft. trans. | 1 50 | 12 00 | |
| | 4.6 | vulgaris, | Red | 6.6 | 1 to 2 ft. | 35 | 1 50 | 12 00 |
| | 6.6 | 16 | " | 4.6 | 18 in. trans. | 90 | 8 00 | 12 00 |
| | 44 | 6.6 | 4.6 | 4.4 | 2 to $2\frac{1}{2}$ ft. trans. | 1 25 | 10 00 | |
| Curimas | Parsica | Bod Bore | ion Lilo | | $2 \text{ to } 2\frac{1}{2} \text{ ft. trans.}$ 2 to $2\frac{1}{2} \text{ ft. trans.}$ | 1 00 | 9 00 | |
| Syringa | | Red Persi | | | 2 ft. trans. | | 10 00 | |
| 46 | | alba, Whit | | | | 1 25 | | 05.00 |
| 66 | | Rothmagens | is, Rea F | ersian | | 50 | 3 00 | 25 00 |
| " | Emodi, | | | | 2 to 2½ ft. trans. | 2 50 | | |
| " | Josekæ, | | | | 2 to 2½ ft. trans. | 2 50 | 1 50 | 10.00 |
| | vuigaris, | Commor | 1 Purpie | Lilac, | | 35 | 1 50 | 12 00 |
| | 66 | 66 | | | 1 to 2 ft. trans. | 85 | 7 00 | |
| | | | | | , 2 to 3 ft. trans. | 1 25 | 10 00 | |
| " | | | on W hite | | 12 to 18 in. trans. | 85 | 7 00 | |
| 44 | 44 | 44 | | 66 | 1 to 2 ft. trans. | 90 | 8 00 | |
| 44 | 46 46 | 4.6 | 66 | 44 | 18 to 24 in. trans. | 1 00 | 9 00 | |
| 66 | 46 46 | 66 | 66 | 66 | $2 \text{ to } 2\frac{1}{2} \text{ ft. trans.}$ | 1 25 | | |
| | To Do | aina | | RENCH | LILACS. 3 to 4 ft. trans. | 0.56 | | |
| | Frau Dan | nmann, sing | lieb mad | | | 2 50 | | |
| | | spaeth, purp | | | 3 to 4 ft. trans. | 2 50 | | |
| 44 | | vy, double h | | | 3 to 4 ft, trans. | 2 50 | | |
| " | | Volland, sing | | , | 3 to 4 ft. trans. | 2 50 | | |
| ** | | Nancy, doub | | | 3 to 4 ft. trans. | 3 00 | | |
| 66 | Mme. Ab | el Chatney, | double whi | te, | 3 to 4 ft. trans. | 3 00 | | |
| | | | prise near | ly all of | the best varieties | s of Nev | v French | Lilacs. |
| Tamari | x Africana | ι, | | | 1 to 2 ft. | 35 | 1 25 | 10 00 |
| 6.6 | 44 | | | | 2 to 3 ft. trans. | 90 | 8 00 | |
| | 66 | | | | 4 to 6 ft. trans. | 1 25 | 10 00 | |
| 4.6 | Gallica, | | | | 1 to 2 ft. | 35 | 1 25 | 10 00 |
| 0 14 | 44 | | | | 2 to 3 ft. trans. | 90 | 8 00 | |
| ** | Indica, | | | | 1 to 2 ft. | 35 | 1 50 | 12 0 0 |
| 64 | . 66 | | | | 3 to 4 ft. trans. | 90 | 8 00 | |
| 44 | Japonica | a plumosa, | | | 1 to 2 ft. | 35 | 1 75 | 16 00 |
| 4.6 | 16 | 44 | | | 2 to 3 ft. trans. | 90 | 8 0 0 | |
| | | | | | | | | |

| | | | Per 10 | Per 100 | Per 1000 |
|----------|---------------------|------------------------------------|----------------|---------|----------|
| Tamari | Codessana, | $2\frac{1}{2}$ to 3 ft. trans. | \$ 1 00 | \$9 00 | |
| | tetrandra purpurea, | 1 to 2 ft. | 35 | 1 25 | \$10 00 |
| | 44 44 | 18 in. trans. | 90 | 8 00 | |
| Vaccinii | um corymbosum, | heavy, 2 to 3 ft. trans. | 4 00 | | |
| Viburnu | m acerifolium, | 1 to 2 ft. trans. | 1 25 | 10 00 | |
| 6.6 | cassinoides, | 18 to 24 in, trans. | 2 00 | 18 00 | |
| 6.6 | dentatum, | 4 to 6 in. seed. | 35 | 1 50 | 10 00 |
| 6.6 | 4.6 | 8 to 12 in. trans. | 1 00 | 8 00 | |
| •• | 65 | 5 ft. trans. | 2 00 | 15 00 | |
| ** | . 46 | heavy specimens, 5 to 6 ft. trans. | 7 50 | | |

**The specimen Viburnum dentatum are extra fine, well-grown plants. They have been transplanted and have had ample room to develop. For securing an immediate effect, these plants will be found most satisfactory.

| Viburnum Japonicum (Sieboldianum), | 8 to 12 in. trans. | 1 | 25 1 | 00 | |
|---|--------------------------------|-----|------------|------|-------|
| | 18 to 24 in. trans. | 1 | 7 5 | | |
| " lantana, | 10 to 15 in. | | 35 | 1 50 | 12 00 |
| · · · ·] | 12 to 18 in. trans. | | 85 | 7 00 | |
| 44 44 | 2 to $2\frac{1}{2}$ ft. trans. | 1 | 25 1 | 0 00 | |
| 66 65 | 3½ to 4 ft, trans. | 1 ' | 75 1 | 5 00 | |
| " molle, | 8 to 12 in. trans. | 1 | 00 | 8 00 | |
| 44 44 | 2 ft. trans. | 1 | 50 1 | 2 00 | |
| heavy, | 4 to 5 ft. trans. | 4 | 00 | | |
| " nudum, | 2 to 3 ft. trans. | 1 ' | 75 1 | 5 00 | |
| " oxycoccos (opulus), Bush Cranberry, | 6 to 10 in. | | 35 | 1 75 | 15 00 |
| | 12 to 18 in. trans. | | 85 | 7 00 | |
| " opulus sterilis, Common Snowball, 1 | l0 to 15 in. | | 35 | 3 00 | 25 00 |
| | 2 to 18 in. trans. | | 85 | 7 00 | |
| " nanus, Dwarf, | 10 to 12 in. trans. | 1 | 00 | | |
| " plicatum, Jap. Snowball, (True), 1 | 12 to 18 in, trans. | 1 | 25 1 | 0 00 | |
| | 18 to 24 in, trans. | 1 | 50 1 | 2 00 | |
| " rotundifolia, 1 | 12 to 18 in. trans. | 1 | 50 | | |
| | 12 to 18 in. trans. | 1 | 00 | 8 00 | |
| " heavy, | 2½ to 3 ft, trans. | 1 | 50 1 | 2 00 | |
| | 12 to 18 in. trans. | 1 | 50 1 | 2 00 | |
| | 4 to 5 ft. trans. | 1 | 50 | | |
| Weigela Abel Carier, Crimson, | 2 to 18 in. trans. | 1 | 25 | | |
| | 3 ft, trans. | 1 | 00 | | |
| heav 7, | 3 to 4 ft, trans. | 1 | 25 1 | 0 00 | |
| | 2 to 21/2 it, trans. | 1 | | 4 00 | |
| , | 3 ft. trans. | 1 | | 0 00 | |
| | 2 ft. trans. | 1 | | 0 00 | |
| · | 2 ft. | 3 | 50 | | |
| | 6 in. trans. | _ | | 2 00 | |
| | | | | | |

HEDGE PLANTS.

DECIDUOUS.

| | | | | Per 100 | Per 1000 |
|--------------|-----------------------|--|--|--|---|
| sylvatica, | English E | Beech, | 2 ft, trans. | \$18 00 | |
| 4. | 4.6 | 4.6 | 3 to 4 ft. trans. | 20 00 | |
| 6.6 | + 6 | 4.6 | 4 to 5 ft. trans. | 25 00 | |
| 4.4 | 8.6 | 4.6 | 5 to 6 ft. trans. | 30 00 | |
| chia tri | acanthos, Ho | oney Locust. | 6 to 8 in. seed. | 50 | °\$3 00 |
| a aurant | iaca, Osage | e Orange, | 1 yr., 1st class | | 3.50 |
| 6.6 | " | " | 4 ft. bushy | 8 60 | 50 00 |
| ritzensis, I | Red-bark | ed Willow, | 2 to 21/2 it. 2 yr. | 2 00 | |
| 6.5 | 4.6 | 4.6 | 4 to 5 ft. trans. | 15 00 | |
| | chia tria a aurant | chia triacanthos, Hora aurantiaca, Osago | chia triacanthos, Honey Locust, ra aurantiaca, Osage Orange, | 3 to 4 ft. trans. 4 to 5 ft. trans. 5 to 6 ft. trans. 6 to 8 in. seed. 1 yr., 1st class 4 ft. bushy itzensis, Red-barked Willow, 2 to 2½ ft. 2 yr. | ### 18 00 2 ft. trans. \$18 00 3 to 4 ft. trans. 20 00 3 to 4 ft. trans. 20 00 4 to 5 ft. trans. 25 00 5 to 6 ft. trans. 30 00 5 to 6 ft. trans. 30 00 5 to 8 in. seed. 50 2 a aurantiaca, Osage Orange, 1 yr., 1st class 4 ft. bushy 8 60 4 ft. bushy 8 60 2 to 2½ ft. 2 yr. 2 00 2 to 2½ ft. 2 yr. 2 00 3 to 4 ft. bushy 3 to 4 ft. bushy 3 to 2½ ft. 2 yr. 2 00 3 to 4 ft. 2 yr. 3 to 4 f |

| _ | | | Per 100 | Per 1000 |
|------------|---------------------------------------|--|----------------|---------------|
| Berbe | ris Thunbergii, Japanese Barberr | | \$10 00 | \$90 00 |
| 66 | " " " " " " " " " " " " " " " " " " " | 12 to 15 in. trans. | 12 50 | = 0/ |
| 44 | vulgaris, Creen Barberry, | 6 to 10 in, seed. 10 to 12 in, trans. | 1 00 5 00 | 7 00 40 00 |
| 6.6 | 66 66 | 12 to 18 in. trans. | 6 00 | 10 00 |
| 4.6 | purpurea, purple-leaved, | 1 to 2 ft, seed. | 1 50 | 10 00 |
| 6.6 | | 1 ft. trans. | 7 00 | |
| Cornu | s alba, red-twigged dogwood, | 12 to 18 in. | 1 25 | 10 00 |
| 6.6 | 66 16 16 66 | 18 to 24 in, trans. | 7 00 | 60 00 |
| 44 | 41 41 41 | 2 ft. trans. | 9 00 | 10.00 |
| | olonifera lutea, Yellow-barked dog | gwood, 1 it. $2 \text{ to } 2\frac{1}{2} \text{ ft. trans.}$ | 5 00 10 00 | 42 00 |
| ora tæ | egus coccinea, White Thorn, | 2½ to 3 ft. trans. | 12 60 | |
| 6.6 | 66 66 | 3 to 4 ft. trans. | 15 00 | 100 00 |
| 44 | 66 66 | 4 to 5 ft. trans. | 30 00 | |
| 41 | crus galli, Cockspur Thorn, | 12 to 18 in. seed. | 4 00 | |
| 6.6 | 46 46 46 | 12 to 18 in. trans. | 8 00 | 70 00 |
| 4.6 | £6 66 66 66 | 2 to 21/2 ft. trans. | 10 00 | 90 00 |
| 44 | 66 66 66 66 66 66 66 | 2½ to 3 ft. trans. | 12 00 | 100 00 |
| 44 | 11 11 11 11 | 3 to 4 ft, trans. | 20 00 | |
| 86 | 41 44 41 41 | 4 to 5 ft. trans. 5 to 6 ft. trans. | 25 00 35 00 | |
| 6.6 | oxycantha, English Hawthor | | 7 00 | 60 00 |
| 44 | " " " | 2 to 2½ ft. trans. | 8 00 | 00 0 |
| 6.6 | 44 44 44 | 2 to 3 ft, trans. | 10 00 | 80 00 |
| 6.6 | 66 66 66 | 3 to 4 ft. trans. | 12 00 | |
| leag | nus parvifolius, Silver Thorn, | 5 to 6 ft. heavy trans. | 12 00 | 100 0 |
| libiso | eus, Althæa, | $2 \text{ to } 2\frac{1}{2} \text{ ft. trans.}$ | 8 00 | |
| 66 | variegata, | 1 ft. trans. | 8 00 | |
| _ | Totus albus, single white, | 2 ft. trans. | 10 00 | |
| . igus | trum Ibota, | 18 to 24 in. trans, 2 to 3 ft. trans, | 6 00 9 00 | 80 00 |
| 4.5 | ovalifolium, California Privet | | 2 00 | 15 00 |
| 6.6 | " " " | 2 to 2½ ft. trans. | 3 00 | 20 00 |
| 2.3 | 66 65 66 | 2½ to 3 ft. trans. | 5 00 | 40 00 |
| 6.6 | 66 61 61 | 3 to 4 ft. trans. | 7 00 | 60 00 |
| 6.6 | vulgare, Common Privet, | 18 to 24 in. 1 yr. | 3 00 | 20 00 |
| yrus | Japonica, red, Japanese Quince, | 8 to 15 in. | 1 25 | 10 00 |
| 46 | | 1½ to 2 ft. | 8 00 | = 00 |
| ena m | nus Catharticus, Buckthorn, | 1 to 2 ft. 4 to 5 ft. trans. | 1 60 10 00 | 7 00 |
| Daea 1 | rugosa, red, | 6 to 10 in. seed. | 2 00 | 12 00 |
| ιυ5α - | 4 | 2 to 3 ft. 2 yr. seed. | 3 00 | 15 00 |
| 6.6 | 44 44 | 18 to 24 in. trans. | 8 00 | 70 00 |
| | EVERGREEN HE | DGE PLANTS. | | |
| Abies | canadensis, Hemlock Spruce, | 12 to 15 in, trans. | 25 0 0 | |
| | excelsa, Norway Spruce, | 12 to 15 in, trans. | 10 00 | |
| | sempervirens, | 8 to 10 in. clumps, for edging | | |
| JUXUS " | ii · | 10 to 18 in clumps, for edging | | |
| 46 | | 3 to 5 in. | 5 00 | 50 00 |
| | suffruticosa, dwarf Box Edging, | | | 50 00 |
| | globosa, Globe Arbor Vitæ, | 6 to 8 in, trans, heavy | 25 00 | |
| | Hoveyii, | 12 to 15 in. trans. heavy | 25 00 | |
| 66 4 | pumila, | 1 ft. trans. heavy | 25 00 | |
|] | r | | | |
| | pyramidalis, Pyramidal Arbor Vita | e, 12 to 18 in. trans. | 15 00 | |

EVERGREENS.

All of our evergreens have been once or more transplanted, the larger sizes several times, and the choice varieties we move every period not exceeding two years. These choice varieties are all dug with a ball of earth and the ball sewed in a mat. This makes transplanting almost an assured success.

| | | Per 10 | Per 100 | Per 1000 |
|---|---|--------------|----------------|----------|
| Abias Canadansis Hamlack Consus | 12 to 15 in. trans. | \$3 00 | \$25 00 | |
| Abies Canadensis, Hemlock Spruce, | 12 to 15 in, trans. | 1 50 | 10 00 | |
| " excelsa, Norway Spruce, " inverta, | $2 \text{ to } 2\frac{1}{2} \text{ ft. trans.}$ | 12 50 | 10 00 | |
| " Douglassi, | $2 \text{ to } 2\frac{1}{2} \text{ ft. trans.}$ | 7 50 | | |
| "Englemanni, | $2 \text{ to } 2\frac{1}{2} \text{ ft. trans.}$ | 17 50 | | |
| " excelsa pyramidalis, | 3 to 4 ft, trans. | 15 00 | | |
| "Remontii, | 2 ft. trans. | 12 50 | | |
| " excelsa, Wale's Weeping, | 3 to 4 ft. trans. | 17 50 | | |
| " nigra, Black Spruce | 3 to 4 ft. trans. | 10 00 | | |
| " Orientalis, | 2½ to 3 ft. trans. | 15 00 | | |
| " polita, | 3 ft. trans. | 17 50 | | |
| " pungens glauca, Colorado Blue, | 2 to 2½ ft. trans. | 20 00 | | |
| " " Kosteriana, Koster's Bl | | 30 00 | | |
| Andromeda Japonica, | 10 to 12 in, trans. | 6 00 | | |
| | ts, 10 to 12 in. | 4 00 | 35 00 | |
| Biota orientalis, Chinese Arbor Vitæa, | 12 to 18 in, trans. | 1 75 | | |
| 66 66 | 2 to 3 ft. trans. | 2 50 | | |
| " elegantissima, Golden, | 12 to 18 in. trans. | 2 5 0 | | |
| Buxus arborescens, Tree Box, | $2\frac{1}{2}$ ft. trans. | 6 00 | | |
| 66 66 | 3 to 4 ft. specimens | 20 00 | 175 0 0 | |
| " elegantissima variegata, | 1 ft. trans. | 6 00 | | |
| " Handsworthi, | $2\frac{1}{2}$ to 3 ft. trans. | 12 50 | | |
| 11 | 3 ft. trans. | 20 00 | | |
| " Japonica, aurea, Golden Box, | 3 to 4 ft. specimens | | | |
| " minima glauca, | 18 to 24 in. trans. | 6 00 | | |
| pyramidans martwickensis, | 18 to 24 in. trans. | 8 50 | | - |
| Totuliuliona, Japanese, | 18 in. trans. | 10 00 | 10.00 | |
| sempervirens, 8 to 10 |) in clumps for edgin | - | 18 00 | |
| 10 to 12 | 3 to 5 in. | 3 00 50 | 20 00 5 00 | |
| sufficient, twait box Enging, | ots, 2 to 2½ ft. | 15 00 | 5 00 | |
| Cratægus pyracantha, Evergreen Thorn, | 3 ft. trans. | 5 00 | | |
| Cupressus Lawsoniana, | 1 ft. trans. | 3 50 | | |
| from tu | | 17 50 | | |
| " Allumi, Blue Cypress. | 2 to 21/4 ft. trans. | 10 00 | | |
| " stricta viridis, | 3½ ft. trans. | 12 50 | | |
| Erica vagans capitata, Scotch Heath, from | | 3 50 | | |
| Euonymus Sieboldi, | 1 ft. trans. | 1 25 | 10 00 | |
| llex opaca, American Holly, | 15 to 18 in, trans. | 3 00 | 25 00 | |
| Juniperus argentea variegata, | 2 to 3 ft, trans. | 10 00 | | |
| communis, | 18 to 24 in. | 3 50 | 25 00 | |
| " Douglass' Golden, | 8 to 12 in. broad tran | s. 5 00 | 40 00 | |
| " Hibernica, Irish Juniper, | 12 to 15 in. trans. | 2 5 0 | 20 00 | |
| 46 46 46 | 18 to 24 in. trans. | 3 00 | 25 00 | |
| " Japonica aurea, | $2\frac{1}{2}$ to 3 ft, trans. | 10 00 | | |
| | , 12 to 15 in. trans. | 3 00 | 25 00 | |
| 44 44 | 2 ft. trans. | 3 50 | 30 00 | |
| " suecica compacta, | 6 to 8 in, trans. | 2 50 | | |
| Virginiana, Common Red Cedar | | 2 00 | 15 00 | |
| " glauca, Blue Cedar, | 3 to 3½ ft. trans. | 15 00 | | |

| | | | | | Per 10 | Per 100 | Pe r 1000 |
|---------|---------------|-----------|------------------|-------------------------|---------|---------|------------------|
| Kalmia | angustifolia, | | | 18 in. heavy | \$7 50 | | |
| \$ 6 | latifolia, Mo | untain L | aurel. | 18 in, heavy | 7 50 | | |
| 44 | 6.6 | 4.6 | | 2 ft, heavy | 15 00 | | |
| | 6.6 | £ t | 44 | 21/4 ft. extra heavy | , 20 00 | | |
| Mahoni | a aquifolia, | | | 6 to 10 in. | 35 | \$ 1.75 | \$15 00 |
| Picea C | | | from large tubs, | 5 ft. trans. | 50 00 | | |
| N | ordmanniana, | Nordma | nn's Fir. | 2 to 21/2 ft. trans. | 7.5) | 60 00 | |
| + 6 | 4.6 | | | 21/2 to 3 ft. trans. | 20 00 | 150 00 | |
| Pinus A | ustriaca, Aus | trian Pin | e. | 21/2 to 3 ft. trans. | 3 50 | | |
| | embra, Swiss | | | 11/2 to 21/2 ft. trans. | 10 00 | | |
| | oora obtusa, | | | 3 to 4 ft. trans. | 12 50 | | |
| | pisitera, | | | 3 to 4 ft. trans. | 12 50 | | |
| 44 | 66 | aurea. | | 3 to 4 ft, trans. | 12 50 | | |
| 6.6 | plumosa | ì. | | 3 to 4 ft. trans. | 12 50 | | |
| 6.6 | | 41 | | 3 to 4 ft. trans. | 12 50 | | |
| 6.6 | 6.6 | argentea, | | 21/2 ft. trans. | 7 50 | | |
| 4.6 | Squarro | | | 3 to 4 ft. trans. | 12 50 | | |
| | | , | | | | | |

We wish to call particular attention to our offer of Retinisporas. These plants bave been sheared to a pyramidal form and are now very thick and bushy. They have been several times transplanted. The plants will be dug with a ball of earth and the ball sewed in burlap, making it possible to transplant them with every assurance of success. The prices are very reasonable considering the character of the stock.

| Rhod | odendro | n punctatu | ım, | | 12 to 18 in. trans. | 3 | 50 | | |
|-------|-------------|--------------|-----------|-----------|--------------------------------|----|----|-----|----|
| | 1.6 | Parson's | Hybrid, a | assorted, | 18 to 24 in. | 8 | 00 | 75 | 00 |
| | 6.6 | 6.6 | 6.6 | 6.6 | 2 to 3 ft. | 13 | 50 | 125 | 00 |
| | 6.6 | Hybrids, | assorted, | | 21/2 by 3 ft. specimens | 30 | 00 | | |
| | 14 | 6.6 | 6.6 | | 3 by 21/2 ft. specimens | 40 | 0) | | |
| | 4.6 | 2.0 | 6.6 | | 31/2 by 3 ft. specimens | 50 | 0) | | |
| Rhod | ora canad | ensis, | | | 18 in trans., heavy | 5 | 00 | 40 | 00 |
| Sciad | opitys ve | rticillatus, | Umbrei | lla Pine | from tubs, 2 ft. | 25 | 00 | | |
| Taxu | s Hibernic | a, Irish Y | ew, | | 2½ to 3 ft. trans. | 12 | 50 | | |
| 6.6 | 46 | 41 | 4.6 | 4 fr. 1 | trans, heavy specimens | 30 | 00 | | |
| • • | 44. | aurea, | | | 2 to 21/2 ft, trans. | 13 | 50 | | |
| 6.6 | 6.6 | | | | 4 ft. trans. specimens | 30 | 00 | | |
| 6.6 | 4.6 | marginat | ta, | | 2 to $2\frac{1}{2}$ ft. trans. | 13 | 50 | | |
| 6.6 | baccata p | yramidalis, | | | 2 to 2½ ft. trans. | 15 | 00 | | |
| Thuja | a gigantea, | | | | 12 to 18 in, trans. | 2 | 50 | | |
| 44 | | oody, Golde | n, | | 3 to 4 ft. trans. | 12 | 50 | | |
| ** | globosa, | | | hea | vy, 6 to 8 in. trans. | 3 | 00 | 25 | 00 |
| 6.6 | Hoveyii, | | | hea | vy, 12 to 15 in. trans. | 3 | 00 | 25 | 00 |
| 6.6 | pumila, | | | hea | vy, 1 ft. trans. | 3 | 00 | 25 | 00 |
| 4.6 | pyramida | lis, | | | 12 to 18 in, trans. | 2 | 00 | 15 | 00 |
| 6.6 | 6.6 | | | | 18 to 24 in, trans. | 3 | 00 | 25 | 00 |
| 6.6 | Vervænea | ana, | | | 3 to 4 ft. trans. | 12 | 50 | | |

The Thuja Geo. Peabody and Vervæneana have been several times transplanted.

They will be dug with a ball of earth and the ball sewed in burlap, so that they can be shipped with perfect safety. They are very fine specimen plants.

| Yucca | filamentosa | 1 year, seed. | 25 | 1 00 | \$ 5 00 |
|-------|-------------|----------------|------|------|----------------|
| 4.6 | 14 | 2 year, seed. | 35 | 1 50 | 6 00 |
| 6. | 4.6 | 3 year, trans. | 7.5 | 5 00 | |
| 6. | 4.6 | 4 year, trans. | 1.00 | 8 00 | 70 00 |

VINES AND CLIMBERS.

Special attention is called to the Vines offered from pots. These were potted up early last spring and have been carefully grown and trained to stakes. They are taken out of the pot before shipping, and placed in a paper flower-pot; this, while preserving the ball, reduces the weight. These vines will be found much more satisfactory to use than those from the open ground; and far better and quicker results are obtained.

| results are obtained. | | D 10 | 77 100 | Den 1000 |
|--|-----------------------|------------------------|-----------------|-------------------------|
| | | | | Per 1000 |
| Actinidia arguta, | from 5 in. pots | \$ 3 5 0 | \$ 35 00 | |
| Akebia quinata, | 2 to 3 ft. | 85 | | |
| Ampelopsis Englemanni, | 2 to 3 ft. | 85 | 7 00 | \$ 60 0 0 |
| " Virginica, Virginia Creeper, | | 75 | 6 00 | 50 00 |
| ii | from 5 in. pots | $2\ 50$ | 25 00 | |
| " Veitchii, Japan or Boston Iv | y, 1 year seed. | 25 | 1 25 | 10 00 |
| | 2 to 3 ft, heavy | 1 25 | 12 00 | |
| ee ee eë eë | from 5 in. pots | 2 50 | 25 00 | |
| Aristolochia Sipho, Dutchman's Pipe. | 4 to 6 ft., ex. heavy | y 3 00 | 23 00 | |
| | from 7 in, pots | 5 00 | 50 00 | |
| Berchemia volubilis, | 8 to 10 in. | 1 00 | 8 00 | |
| Bignonia radicans, Trumpet Vine, | 1 to 2 ft. | 25 | 3 00 | 20 00 |
| " " " " | from 5 in. pots | 2 50 | | |
| Celastrus articulatus, Jap. Staff Vine. | 18 to 24 in, | 1 00 | 8 00 | |
| " " " " " " | from 5 in, pots | 2 50 | | |
| " scandens, | 6 in. | 75 | 5 00 | |
| ii ii | 18 to 24 in. | 85 | 7 00 | |
| 46 46 | | 1 00 | 7 00 | |
| 65 66 | 2 to 2½ ft. | 2 50 | | |
| | from 5 in. pots | | = 00 | en en |
| Clematis paniculata, | strong, 3 years | 1 00 | 7 00 | 60 00 |
| | from 5 in. pots | 2 50 | E0 00 | |
| Heavy, | from 7 in, pots | 5 00 | 50 00 | |
| " Hybrids, named, assorted colors, | 2 and 3 years | 2 50 | | |
| " Virginiana, Virgin's Bower, | 2 year | 1 00 | | |
| " vitalba, | 2 to 3 ft. | 85 | | |
| " viticella, | from 4 in. pots | 2 50 | | |
| Dioscorea batatas, Chinese Yam, | 2 year | 1 00 | | |
| ee ee ee | from 3 in. pots | 1 50 | | • |
| Dolichos Japonicus (Pueraria Thunbergii), Ku | | ts 3 50 | 35 0 0 | |
| 16 16 | 6 in. po | | 50 00 | |
| Euonymus radicans, Green-leaved, | 1 ft. | 1 00 | 9 00 | |
| " variegatus, Variegated-leaved | l. 1 ft. | 1 (0 | | |
| Hedera Helix, English Ivy, | from 4 in. pots | 1 50 | 15 00 | |
| " " " " | from 5 in, pots | 2 50 | 25 00 | |
| Jasminum nudiflorum, Yellow Jasmine, | from 5 in. pots | 3 50 | 20 00 | |
| " officinale, White Jasmine, | from 5 in. pots | 3 50 | | |
| Lonicera brachypoda, Evergreen Honeysuckle, | | 85° | 7 00 | |
| " aurea reticulata, Golden-leaved, | " 12 to 18 in. | 85 | 7 00 | |
| | 12 to 10 m. | | | |
| Traircana, Trair 5 supariose, | 12 to 10 m. | 85 | 7 00 | |
| Menispermum canadensis, Moon Seed, | 12 to 18 in. | 1 25 | 10 00 | |
| Passiflora incarnata, | | 1 50 | 10 00 | |
| Pueraria Thunbergii. See Dolichos. | | | | |
| Vitis æstivalis, | 6 to 10 in. | 75 | 5 00 | |
| " cordifolia, | 8 to 12 in. | 75 | | |
| " heterophylla, | 8 to 12 in. | 35 | 2 50 | 10 00 |
| 66 66 | 12 to 18 in. | 50 | 4 00 | |
| " variegata, | from 5 in. pots " | 2 50 | 25 00 | |
| " riparia, Sweet-scented Crape, | 12 to 18 in. | 75 | 5 00 | |
| Wistaria frutescens, American Clycine, | 2 to 3 ft. | 7 5 | 5 00 | |
| " magnifica, | 6 in. seed. | 35 | 1 25 | 19 00 |
| " sinensis, Chinese Blue, | 6 in. seed. | 35 | 1 50 | 10 00 |
| extra heavy, | 3 to 5 ft. trans. | 2 50 | 20 00 | |
| " alba, Chinese White, | 1 ft. | 1 25 | 10 00 | |
| | from 4 in. pots | 2 00 | 20 00 | |
| 66 (6 | from 5 in. pots | 2 50 | 25 00 | |
| | | | | |

HARDY HERBACEOUS PERENNIALS. HARDY GRASSES AND FERNS.

| Achil | lea Millefolium ru | ıbra, | | | | | | | | | Per 10 \$0 80 | Per 100 \$7 00 |
|--------|---|---------|-------|------|---|---|---|---|---|----|------------------|-------------------|
| 66 | "The Pearl," | | | | | | | | | • | 75 | 7 00 |
| 4.4 | taygetea, . | | | | | | | | | • | 1 00 | 6 50 |
| 4.4 | tomentosa, | | | | | | | | | | 75 | 6 50 |
| Aconi | tum napellus, | | | | | | | | | | 1 75 | 16 00 |
| Ajuga | rectans, . | | | | | | | | | | 1 00 | 8 00 |
| ", | rectans, . genevensis, | | | | | | | | | - | 75 | 6 00 |
| | one Japonica alba | | | | | | | | | | 1 00 | 8 00 |
| 6.6 | rose | ea, | | | | | | | | | 1 00 | 8 00 |
| 1 46 | " " M | hirlwi | ind," | | | | | | | | 1 00 | 6 00 |
| 6.6 | Queen Charle | | | | | | | | | | 2 (0) | 15 00 |
| 4.6 | Virginiana, | | | : | | | | | | | 75 | 6 00 |
| Anthe | mis tinctoria, | | | | | | | | | | 1 (0 | 8 00 |
| | | lida, | | | | | | | | | 1 75 | 15 00 |
| Aquile | | | | | | | | | 4 | | 1 25 | 8 00 |
| | Canadensis, | | | | | | | 1 | | | 1 25 | 9 00 |
| 66 | flabellata nar | a alba | , | | | | | | | | 2 00 | 150) |
| Arme | ria maritima alba, | | | | | | | | | | 1 25 | 6 00 |
| | | | | | | | | | | | 50 | 3 00 |
| Ascle | pias speciosa, | | | | | | | | | | 1 50 | 10 00 |
| | Alpina, . | | | | | | , | | | | 80 | 7 00 |
| 6.6 | longifolia, "Lady" | Trevel | lyn," | | | | | | | | 1 50 | 12 50 |
| 6.6 | Novæ Angliæ, | | | | | | | | | | 80 | 6 00 |
| 6.6 | Novai Belgii, "To | p Saw | yer," | | | | | | , | | 1 00 | 8 00 |
| 6.6 | pyramidalis hybr. | | | | | | | | | ٠. | 1 50 | 9 00 |
| 66 | Tataricus, . | | | | | | | | | | 80 | 5 00 |
| Belan | ncanda Chinens | is, | | | | | | | | | 50 | 3 00 |
| | perennis, . | | | | | | | | | | 50 | 2 50 |
| Bocco | nia cordata. | | | | | | | | | | 75 | 7 00 |
| Callir | 100 involucrata, | | | | | | | | | | 1 25 | 10 00 |
| Camp | anula carpatica | (Blue) | | | | | | | | | 1 00 | 7 00 |
| " | latifolia m | | | | | | | | | | 1 00 | 6 00 |
| 6.6 | persicifoli | a, | | | | | | | | | 1 00 | 7 00 |
| 66 | rotundifol | ia, | | | | | | | | | 1 50 | 12 00 |
| Cimic | ifuga racemosa, | | | | | | | | | | 1 00 | 9 00 |
| Centa | ifuga racemosa, urea nigra varieg tium tomentosum | ata, | | | | | | | | | 1 50 | 10 00 |
| Ceras | tium tomentosum | 1, | | | | | | , | v | | 1 25 | 10 00 |
| Chrvs | anthemum, as | sorted | or na | med, | | | | | | | 1 25 | 6 00 |
| Clema | tis Davidiana, | | | | | | | | | | 1 00 | 6 00 |
| | | | | | | | | | | | | 2 75 |
| 6.6 | " va | riegata | ١, | | | | | | 4 | | | 4 00 |
| Coreo | psis grandiflora, | | | | | | | * | | | 1 50 | 10 00 |
| 6.6 | | | | | | | | | | | 1 25 | 10 00 |
| 6.6 | rosea, . | | | | | 4 | | | | | 60 | 5 00 |
| Deiph | inium fórmosum | 7 | | | | | | | | | 1 25 | 9 00 |
| | lus barbatus, | | | | | 4 | e | 4 | | | 1 25 | 6 00 |
| | ra spectabilis, | | | | | | | | | ٠. | 1 00 | 6 50 |
| | | | | | | | | 4 | | | 1 00 | 8 00 |
| Eriger | on speciosus. | | | | | | | | | | 1 00 | 8 00 |
| Ervne | um planum, | | | | v | | | | | | 40 | 2 50 |
| Eupat | orium cælestinu | | | , | 4 | | | 6 | | | 75 | 5 00 |
| Funkis | Japonica, | | 0 | | | | 0 | | 6 | e | 1 50 | 12 00 |
| Cailla | a Japonica, . dia aristata gran | d., | | | | 4 | | | | 0 | 1 00 | 6 00 |
| Ceum | coccineum, . | | 4 | · | | | 0 | | 6 | | 1 50 | 12 50 |
| | | | | | | | | | | | | |

| | | | | | | | Per 10 | Per 100 |
|-----------------------------------|------|---|---|---|---|-----|--------|---------|
| Cnaphalium Leontopodium, | | 3 | • | • | | | \$1 50 | \$10 00 |
| Cypsophila paniculata, . | • | • | | | | | 1 00 | 6 00 |
| Helenium autumnale sup., | | | | | | | 1 00 | 6 00 |
| Helianthus giganteus, | | ~ | | | | | 75 | 4 00 |
| " grosse-serratus, . | | | , | | | | 75 | 7 00 |
| " Maximillianus, . | | | | | | | 75 | 6 00 |
| mollis, | | | | | | | 1 00 | 6 00 |
| " orgyalis, | | | | | | | 1 00 | 6 00 |
| Heliopsis laevis, | | | | | | | 1 00 | 9 00 |
| " Pitcheriana, | | | | | | | 1 00 | 9 00 |
| Hemerocallis flava, | | | | | | | 1 50 | 10 00 |
| " fulva | | | | | | | 50 | 3 00 |
| " fl. pl. (Kwarso | 1). | | | | | | 1 00 | 9 00 |
| " graminea, . | | - | • | • | | • | 1 00 | 7 50 |
| Hibiscus moscheutos, "Crimson Eye | 2 22 | • | • | • | | | 1 00 | 6 00 |
| " grandiflora, | -, | • | • | • | • | | 2 00 | 16 00 |
| Hieracium stoloniferum, | • | • | • | • | | | 50 | 2 50 |
| | • | • | • | • | • | | 1 25 | 8 00 |
| Hollyhock, dbl. White, | • | • | • | • | • | | 1 25 | 8 (0 |
| · | • | • | • | • | • | | | |
| Tellow, | | • | • | • | | | 1 25 | -8 00 |
| rink, | • | | • | | | | 1 25 | 8 00 |
| Assorted, . | • | • | ٠ | • | | | 1 25 | 8 00 |
| " Single, . | • | • | • | | | | 1 00 | 6 00 |
| lberis semperflorens superba, . | | | | | | | 1 50 | 11 00 |
| " sempervirens, | | | | | | | 1 50 | 12 00 |
| "Tenoreana, | | | | | | | 1 25 | 11 00 |
| Inula Helenium, | | | | | | | 1 00 | 9 00 |
| iris cuprea, | | | | | | | 2 50 | 22 50 |
| " Germanica. Assorted, . | | | | | | | 1 00 | 8 (0 |
| " Silver King, , | | | | | | | 1 00 | 8 00 |
| " laevigata (Kæmpferi), Assorted, | | | | | | | 1 25 | 10 00 |
| " seedlings, | | | | | | | 1 00 | 9 00 |
| " pumila, | | | | | | | 75 | 5 00 |
| " pseud-acorus, | | | | | | | 1 00 | 8 00 |
| " Sibirica orientalis, | | | | | | | 1 25 | 8 00 |
| Lathyrus grandiflorus, | • | • | | • | • | | 1 25 | 10 00 |
| Lavandula vera, | • | • | • | • | • | | 1 25 | 10 00 |
| | • | • | • | • | • | | 1 25 | 10 00 |
| | • | • | • | • | • | • | 80 | 7 00 |
| candidum, | • | | • | • | • | | 1 25 | 10 00 |
| speciosum aibum, | • | • | • | • | | | | |
| roscum, . | | • | • | • | • | | 1 25 | 10 00 |
| Tubi um, | • | | • | • | | | 1 25 | 10 00 |
| " tigrinum, | • | • | | • | • | | 1 50 | 9 00 |
| Linum perenne, | • | • | • | | | | 75 | 5 00 |
| Lobelia cardinalis, | | • | | | | | 1 00 | 6 00 |
| " syphilitica, | | | | | | | 50 | 3 50 |
| Lychnis Haageana, | • | | | | | | 1 25 | 8 00 |
| " Flos-cuculi, | | | | | | | 1 25 | 10 00 |
| " Flos-Jovis, | | | | | | | 1 25 | 8 00 |
| " Viscaria splendens, . | | | | | | | 1 25 | 8 00 |
| Lysimachia clethroides, . | | | | | | | 75 | 4 00 |
| Lythrum roseum superbum, . | | | | | | | 1 25 | 10 00 |
| Monarda purpurea, | | | | | | | 1 00 | 6 00 |
| Myosotis dissitiflora, | | | | | | | 1 00 | 7 50 |
| Nepeta Glechoma var., | | | | | | | 75 | 5 00 |
| Opuntia Rafinesquii Greenii, . | | | | | | | 1 25 | 8 00 |
| Paeonia officinalis alba, | | | | | | | 4 00 | 30 00 |
| " rosea, | | | | | - | | 4 00 | 30 00 |
| " sinensis (named), assorted, | * | • | • | • | • | | 2 00 | 15 00 |
| siliensis (named), assorted, | | • | • | • | • | | 1 25 | 8 00 |
| Papaver Orientale, | | • | • | | • | | 1 25 | 8 00 |
| | | • | • | | • | | 1 50 | 10 00 |
| Passiflora incarnata, | | • | • | • | • | • • | T 90 | 10 00 |

| | | | | | | | | | Per 10 | Per 10 |
|-----------------------------|------|---|---|---|---|---|-----|-------|--------|---------------|
| Pentstemon acuminatus, | • | • | | | | | | | \$1 50 | \$10 00 |
| barbatus, | | | | | | | | | 75 | 6 00 |
| Digitalis, | | | | | | | | | 1 00 | 6 00 |
| Phlox decussata, assorted, | | | | | | | | | 1 50 | 10 00 |
| " maculata, | | | | | | | | | 1 00 | 6 00 |
| " subulata rosea, . | | | | | | | | | 1 00 | 6 00 |
| " alba, . | | | | | | | | | 1 00 | 6 00 |
| " "Sadie," | | | | | | | | | 1 25 | 8 00 |
| Physostegia denticulata, | | | | | | | | | 75 | 6 00 |
| Platycodon grandiflorum, | | | | | | | | | 1 00 | 6 00 |
| | pl., | | | | | | | | 1 25 | 10 00 |
| " Mariesii alba, | | | | | | | | | 1 00 | 9 00 |
| Potentilla named hybrids, | | | | | | | | | 2 00 | 15 00 |
| " rupestris, . | | | | | | | | | 75 | 7 00 |
| Polygonum cuspidatum, | | | | | • | | | | 1 25 | 11 00 |
| Primula suaveolens, . | | | | | • | • | • | Ċ | 75 | 5 00 |
| Pyrethrum roseum, . | | | | | • | • | • | | 75 | 7 00 |
| " uliginosum, | | | • | | • | • | | | 75 | 5 00 |
| anunculus acris fl. pl., | | • | | | | • | | | 1 00 | 7 50 |
| Rudbeckia Golden Glow, | | | | | | : | | | 75 | 4 00 |
| " Newmani. | • | • | | | | | | • | 1 00 | 8 00 |
| alvia azurea grand., . | | • | - | • | | | • | | 1 00 | 7 00 |
| | • | • | • | | | | | | 1 50 | 12 50 |
| axifraga crassifolia, . | • | • | | | | | | • | | |
| cabiosa Caucasica, . | • | | 1 | | • | | | • | 1 50 | 10 00 5 00 |
| edum sexangulare, | | * | | • | • | | | | 75 | |
| " Telephium, . | • | • | | | | | • | | 75 | 4 00 |
| empervivum Verloti, | • | • | | | | • | • | | 40 | 3 00 |
| olidago nemoralis, . | | ٠ | | | | • | | | 1 50 | 4 50 |
| piraea Filipendula fl. pl., | | • | | | | | | | 1 00 | 8 00 |
| " multiflora comp., | | ٠ | | | | | • | | 1 25 | 10 00 |
| uimarin aroa pr., | | ٠ | | | | | . 7 | • , , | 1 00 | 6 00 |
| tachys lanata, | | | | | | | | | 60 | 4 00 |
| tatice latifolia, | | | | | | | | | 1 50 | 10 00 |
| halictrum aquilegifolium, | , | | | | | | | | 1 00 | 7 00 |
| hermopsis Caroliniana, | | | | | | | | | 1 00 | 7 50 |
| radescantia Virginica, | | | | | | | | | 60 | 5 00 |
| " alb | a, | | | | | | | | 1 00 | 8 00 |
| ritoma uvaria grand., | | | | , | | | | | 1 25 | 7 00 |
| niola latifolia, | | | | | | | | | 1 25 | 8 00 |
| | | | | | | | | | 1 00 | 7 50 |
| " candida, | | | | | | | | | 1 50 | 10 00 |
| | | | - | | | | 1 | | 1 50 | 12 00 |
| " spicata nana, | | | , | | | | : | | 80 | 7 00 |
| " Teucrium, | • | | | | • | • | • | • | 1 00 | 9 00 |
| iola cucullata "Pink Gem." | | | | | | | | | 1 00 | 7.50 |

GRASSES.

| | | | | | | | | | Per 10 | Per 100 | Per 1000 |
|------------|-------------|-----|-----------|----|-----|---|---|---|--------|----------------|----------|
| Assorted | Ferns. | | | | | 2 | | | \$1 00 | \$ 8 00 | \$40 00 |
| Arundo do | | | | | | | | | 2 50 | 19 00 | |
| | " variega | ta, | | | | | - | | 3 00 | 20 00 | |
| Bambusa | Metake, | | | | | | | | 3 00 | 20 00 | |
| Calamag | rostis stri | eta | variegata | ۱, | | | | | 75 | 4 00 | |
| Erianthus | | | | | | | | | 2 00 | 16 00 | |
| Eulalia Ja | ponica, | | . 1 | | , | | * | | 1 50 | 8 00 | |
| " gra | cillima, | | | | | | | | 2 00 | 15 00 | |
| " var | riegata, | | 4 | | 1.4 | , | | 6 | 2 00 | 15 00 | |
| " zel | rina, . | | | | 4 | | | | 1 50 | 10 00 | |

SEEDS

EVERGREENS

| | | | | | | | | Per o | |
|--|---------|---------|-------|-------|-------|-------|-------|----------|-------------|
| Abies alba, White Spruce, Canadensis, Hemlock, Excelsa, Norway Spruce, | | | | | | | | . \$0 40 | \$3.75 |
| " Canadensis, Hemlock, . | | | | | | | | . 3 | 3 50 |
| " excelsa, Norway Spruce, . | | | | | | | | . 18 | 85 |
| " pungens, Colorado Spruce, Juniperus Virginiana, Red Cedar Picea Nordmanniana, Nordmann's | | | | | | | | . 3 | 5 3 25 |
| Juniperus Virginiana, Red Cedar | , | | , | | | | | . 10 | 50 |
| Picea Nordmanniana, Nordmann's | Fir, | | | | | | | . 18 | 5 1 50 |
| " pectinata, Eu. Silver Fir | | | | | | | | . 10 | 50 |
| " Austriaca, Austrian Pine, . | | | | | | | | . 20 | 1 75 |
| " mughus, Dwf, Mt, Pine, | | | | | | | | . 30 | 3 00 |
| " resinosa, Red Pine, . | | | | | | | | . 78 | 6 00 |
| " rigida, Pitch Pine, | | | | | | | | . 30 | 2 50 |
| " strobus. White Pine. | | | | | | | | . 40 | 3 75 |
| " sylvestris, Scotch Pine, | | | | | | | | . 20 | |
| " resinosa, Red Pine, " rigida, Pitch Pine, " strobus, White Pine, " sylvestris, Scotch Pine, Thuya occidentalis, Am. Arbor Vi | tæ. | | | | | | | . 2 | |
| Yucca filamentosa, Adam's Needl | e. | | | | | | | . 40 | |
| I deca management a second | -, | | | | • | • | | | |
| | | | | | | | | | |
| DECIDIOLIC T | ne | ne | сыг | NI ID | 7 A B | JD. J | VINIE | c | |
| DECIDUOUS T | KE | E3, | SH | COBS | > AI | עא | VINE | 3 | |
| • | | | | | | | | | |
| Acer platanoides, Norway Maple, | | | | | | | | . 10 | 50 |
| " saccharinum, Sugar Maple, . | | | | | | | , | . 10 | 65 |
| " striatum, Striped Maple, . | | | | | | | | . 18 | 1 50 |
| " saccharinum, Sugar Maple, " striatum, Striped Maple, " triloba, Pawpaw, Ampelopsis Veitchii, Japanese o | | | | | | | | . 18 | 75 |
| Ampelonsis Veitchii, Japanese o | r Bos | ton Iv | ν, | | | | | . 18 | 1 00 |
| Virginica, Va. Creen | er or | Wood | bine. | | | | | . 1 | 5 1 00 |
| Berberis vulgaris, Green Barberry purpurea, Purple Barber | 7. | | | 1 | | | | . 10 | |
| " purpurea, Purple Barber | rrv. | • | | | | | | . 20 | |
| Betula alba, En. White Birch. | 5 , | • | | | | | | . 10 | |
| Betula alba, Eu. White Birch, populifolia, Poplar Birch, | | • | | • | | | | . 1 | |
| Calvoanthus floridus Sweet Shr | mb | • | • | | | | • | . 1 | |
| Caracana arborescens Siberian | Pea | • | • | • | | | | . 18 | |
| "populifolia, Poplar Birch, Calycanthus floridus, Sweet Shr Caragana arborescens, Siberian Catalpa speciosa, Western Catalpa Cercis canadensis, Am. Judas or R | 1 Ca, | | | | | | | . 10 | |
| Catalpa speciosa, western catalpa | od P | · nd | | | | | | . 18 | |
| Chrotist Change | ieu D | uu, | | • | | | | - | 30 |
| Chestnut, Spanish, Chionanthus Virginica, White | Crinc | • | | | | | | . 20 | |
| Cratægus oxycantha, English Ha | wetho | e, | | | | • | | | |
| Cratægus oxycantna, English Ha | en ii m | tii, | | | | | | . 10 | |
| Cytissus laburnum, Scotch Labur | циш | , | | | | | | | |
| Diospyros Virginiana, Persimon, Euonymus Americanus, Burning | Dual | • | • | | | | | . 10 | |
| Fagus ferruginea, Am. Beech, Cleditschia triacanthos, Honey I | Dusi | 1, | | | • | | | . 20 | |
| Fagus ferruginea, Am. Beech, | | | | | | | ٠. | . 1 | |
| Cleditschia triacanthos, Honey | Locus | ST, | | • | | | | . 1 | |
| Cymnocladus canadensis, Kenti | иску | Conee | , | | | • | | . 10 | |
| Halesia diptera, Silver Bell, | | • | | | | | | . 1 | |
| Hibiscus Syriacus, Althæa, | _ | • | | | | | | . 20 | |
| Halesia diptera, Silver Bell, Hibiscus Syriacus, Althæa, Koelreuteria paniculata, Varnish | Tree | , | | | | | | . 20 | |
| Larix Europæa, Eu. Larch, | | | | | | | | . 18 | |
| Liquidamhar styraciflua, Sweet | Gum | | | | | | | . 30 | |
| Maclura aurantiaca, Osage Orang Magnolia acuminata, Cucumber | e, | | | | | , | | . 10 | |
| Magnolia acuminata, Cucumber | Tre∘, | | | | | | | . 20 | |
| " tripetala, | | | | | | | | . 20 | 1 50 |
| Morus alba, White Mulberry, . | | | , | | | | | . 18 | 1 50 |
| " tartarica Russian Mulberry | | | | | | | | 2. | 2.50 |

| | | | | er oz. | Per lb. |
|---|---|---|-----------|--------|---------|
| Nyssa multiflora, Sour Gum, | , | | | \$0 15 | \$1 00 |
| Paulownia imperialis, Empress Tree, | | | | 20 | 1 50 |
| Pecan Nut | | | per/bus. | 8 00 | 50 |
| Platanus Orientalis, Oriental Plane, | | , | | 20 | 50 |
| Quercus macrocarpa, Mossy Cup or Burr Oak, | | | | 30 | 4 50 |
| Rhamnus cathartica, Buckthorn, | | | | 10 | 1 00 |
| Robinia pseud-acacia, Yellow or Black Locust, | | | | 10 | 50 |
| Salisburia adiantifolia, Gingko or Maiden Hair, | | | | 25 | 2 00 |
| Shellbark | | | per bush. | 3 90 | 25 |
| Taxodium distichum, Deciduous Cypress, . | | , | | 15 | 1 00 |
| Tilia Americana, Am. Linden or Basswood, . | | | | 20 | 1 00 |
| Ulmus Americana, Am. Elm, | | | | 15 | 1 00 |
| Walnut, Black, | | | per bush. | 2 00 | 15 |
| " Butternut | | | 6.6 | 2 00 | 15 |
| " English, | | | 44 | 7 00 | 35 |

THE BEST NURSERY SPADE.



D Handle, Double Strap, Reinforced Nursery Spade. Weight, 91/4 lbs.

We have experimented with a number of different makes of nursery spades, but find this to be the strongest, best and most durable on the market. We have been using this spade for a number of years and it will stand more hard work than any other make. It is strapped full length of handle both back and front, and half way up it has double straps, strengthening it in what otherwise would be its weakest parts.

Price, \$1.75 each; \$20.00 per dozen.

TREE LABELS. Painted and Wired.

Discount 10 per cent, for a lot of ten thousand ordered and shipped at one time. The $3\frac{1}{2}$ inch are sold in packages of one thousand in a package. The 6 inch are in packages of one hundred. No less than a full package sold.

| 31/2 | inch, | notched, | iron wired, painted\$1.00 | per 1000 |
|------|-------|----------|-----------------------------|----------|
| 3½ | 6.5 | 6.6 | copper wired, painted 1.25 | 6.6 |
| 6 | ** | 4.6 | painted, but not wired 2.25 | 66 |
| 6 | 6.6 | 6.6 | not painted or wired 1.60 | g t |

PRUNING SHEARS, BUDDING AND PRUNING KNIVES

The shears and knives offered are the celebrated "Maher & Grosh" make, which is sufficient guarantee of their excellence. No better knives are made. All blades are guaranteed "razor steel" and have been thoroughly tested.

Bear in mind our prices are for the goods POST PAID at your risk. If you wish them by registered mail add eight cents to your order.

--- Prices Include Postage.

PRUNING KNIFE "A," To cents each; 6 for \$3.75 This is the best light weight pruning knife on the market and is suited to all general work. Ebony handle. PRUNING KNIFE "B," Bound handle, steel cap on end. Strong blade. Made for nurserymen who want a strong tool and keen edge. Blade oil tempered. The strongest pruning knife made. BUDDING KNIFE "C," Stationary blade. High temper, equal to any razor. BUDDING KNIFE "D," Steents each; 6 for \$1.30 Cocoa handle, razor steel. Blade closes. The end of the handle is tapered to form a

These are A No. 1 in quality and are the kind in general use.

PRUNING SHEARS "F," . . . \$1.00 each; 6 for \$5.75

This is a forged steel pruner, patent spring of wonderfully easy but powerful working capacity. There is not a stronger or better pruning shear on the market. It will out wear two of any other style. The best is the cheapest in the end.

RAFFIA

We are recognized as headquarters for Raffia. We are direct importers. New stock ready for delivery May 1st, but if necessary we can ship at once from stock now on hand. Best quality. Long strands. Good color and strength.

2 bales at 8% cents per lb.; 1 bale (about 225 lbs.), at 9 cents per lb.; 100-lb. bale at 10 cents per lb.; 50-lb. bale at 11 cents per lb.; 25 lbs. at 12 cents per lb.; 1 lb. at 15 cents per lb., or postpaid for 30 cents per lb.

Thomas Meehan & Sons, Inc.

Dreshertown, Montgomery Co. Penna.

WHOLESALE DEPARTMENT